



Nobody has shared their screen or turned on their camera yet

GoTo Meeting

app.goto.com/meeting/398790149

GoTo Meeting interface showing a video conference with participants Francesco, AS, P, and Aula Corsi Futura Sistemi. The interface includes a toolbar with icons for recording, chat, and other functions. A notification bar at the bottom indicates that app.goto.com is sharing the screen, with buttons for "Interrompi condivisione" and "Nascondi".

Stai condividendo il tuo schermo

Francesco

AS

P

Aula Corsi Futura Sistemi

piero


Registraz... Reagisci


app.goto.com sta condividendo il tuo schermo. Interrompi condivisione Nascondi

Sottotitoli Apri nuo...


Cerca

09:12 09/09/2025





Cerca nel Web per altre informazioni su questa immagine



- Macchina remota nepri per utilizzo ginve.sdo
- Macchina remota con tutti i tomcat (siti) dei clienti
- Macchina linux con database oracle clienti

Appunti_aggiornamento_creazione_siti.docx 157 caratteri (valore...

Focus

150%

|| app.goto.com sta condividendo il tuo schermo.

Interrompi condivisione

Nascondi




Cerca




09:12

09/09/2025



Fetch Progetto VEBS localhost:5173



A map of Italy and surrounding regions, including France, Slovenia, Croatia, Bosnia and Herzegovina, Serbia, Kosovo, Albania, and Greece. The map shows major cities, roads, and geographical features. The browser address bar displays 'localhost:5173'. The Windows taskbar at the bottom shows the search bar with the text 'Scrivi qui il testo da cercare.' and the date '09/09/2025'.

Attiva Windows
Passa a impostazioni per Windows

© OpenStreetMap contributors.

Fetch

Progetto VEBS

error cors request rejected - Ce

localhost:5173

Inserisci i dettagli del poligono

Compila i campi e salva per associare i dati al poligono.

Id

3274

Nome

Parco Unicef

Densità alberi

Ubicazione

Area

11.115,93 m²

Comune

L'Aquila

Data

Seleziona data

☐ Salva come poligono area verde

Salva

Annulla


Windows

Scrivi qui il testo da cercare.

09:30
09/09/2025

Fetch x Progetto VEBS x error cors request reje x Progetto VEBS x + - X

localhost:8081/VEBS/



The map displays the Italian peninsula and surrounding regions. Key locations marked with red dots include Bologna, Roma, Latina, and Catania. The map also shows neighboring countries like Slovenia, Croatia, Bosnia and Herzegovina, and Serbia. The interface includes a search bar at the top left and a Windows taskbar at the bottom.

Attiva Windows
Passa a Impostazioni di Windows

© OpenStreetMap contributors.

Scrivi qui il testo da cercare.

09:31
09/09/2025

Fetch

Progetto VEBS

Cross-Origin Resource

Progetto VEBS

localhost:5173



eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- VEBS [boot]
- Deployment Descri...
- JAX-WS Web Servi...
- Java Resources
- Deployed Resourc...
- node
- node_modules
- src
 - main
 - frontend
 - compon...
 - dist
 - hooks
 - lib
 - node_mo...
 - public
 - resource...
 - src
 - compon...
 - eslint.cor...
 - index.htr...
 - jsconfig.j...
 - package...
 - package...
 - postcss.c...
 - README
 - tailwind.
 - vite.conf
 - java

MapComponen... feature.js apicalls.js DialogDataC... modals.jsx

```
205
206<x flex-col gap2">
207  "densita_alberi" className="textxl fontmedium textgray700">Densità alberi</Label>
208  "densita_alberi" name="densita_alberi" value={formData.densita_alberi} onChange={handleCha
209
210<x flex-col gap2">
211  "ubicazione" className="textxl fontmedium textgray700">Ubicazione</Label>
212  "ubicazione" name="ubicazione" value={formData.ubicazione} onChange={handleChange} />
213
214<x flex-col gap2">
215  "area" className="textxl fontmedium textgray700">Area</Label>
216  {Boolean(area)} id="area" name="area" value={formatArea(area)} onChange={handleChang
217  (
218
219    => () => formData.area = calculateArea(formData.geometry, setArea, setAreaButton, setF
220    id={Boolean(formData.area)}
221
222    : Area
223
224
225
226<x flex-col gap2">
227  "comune" className="textxl fontmedium textgray700">Comune</Label>
228  "comune" name="comune" value={formData.comune} onChange={handleChange} />
229
230<x flex-col gap2">
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 09:28:10 elapsed: 0:14:5

Passa a Impostazioni per attivare Windows.

Writable Insert 218: 40 [6]




Scrivi qui il testo da cercare.



09:43

09/09/2025





Fetch x Progetto VEBS x Cross-Origin Resource x Progetto VEBS x

localhost:5173

© OpenStreetMap contributors.

Scrivi qui il testo da cercare.

09:51 09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/controller/AreaVerdeController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

feature.js apicalls.js DialogDataC... modals.jsx AreaVerdeCon... AreaVerdeSe...

```
49 return HttpStatus.CREATED;
50 )
51
52 @DeleteMapping("/delete/{id_area}")
53 HttpStatus deleteRecord(@PathVariable Integer id_area) {
54     areaVerdeService.deleteAreaVerdeById(id_area);
55     return HttpStatus.OK;
56 }
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 09:28:10 elapsed: 0:23:33) [pid

Hibernate: select areaverde0_.id as id1_1_, areaverde0_.area as area2_1_, areaverde0_.c

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select areablu0_.id as id1_0_, areablu0_.data as data2_0_, areablu0_.geometr

Hibernate: select areablu0_.id as id1_0_, areablu0_.data as data2_0_, areablu0_.geometr

Hibernate: select areaverde0_.id as id1_1_, areaverde0_.area as area2_1_, areaverde0_.c

Hibernate: select poligonpar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select poligoncar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select areaverde0_.id as id1_1_, areaverde0_.area as area2_1_, areaverde0_.c

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select areablu0_.id as id1_0_, areablu0_.data as data2_0_, areablu0_.geometr

Hibernate: select areaverde0_.id as id1_1_, areaverde0_.area as area2_1_, areaverde0_.c

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

2025-09-09 09:51:36:512 WARN 16676 --- [nio-8081-exec-8] .w.s.m.s.DefaultHandlerExcept

Writable Smart Insert 66 : 50 : 2268



Scrivi qui il testo da cercare.



09:51

09/09/2025



Fetch x Progetto VEBS x Cross-Origin Resource x Progetto VEBS x

localhost:5173

The map displays the Italian peninsula and surrounding areas. Key locations marked with red dots include Bologna, Ancona, Terni, Roma, Latina, Foggia, Bari, Taranto, Brindisi, Lecce, Calabria, Palermo, and Messina. The map also shows neighboring countries like France, Switzerland, and parts of Central Europe. The browser interface includes a search bar at the top and a taskbar at the bottom with various application icons.

Scrivi qui il testo da cercare.

10:00
09/09/2025

© OpenStreetMap contributors.

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/mapper/AreaVerdeMapper.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- Servers
- VEBS [boot]
 - Deployment Descriptor: VEBS
 - JAX-WS Web Services
 - Java Resources
 - src/main/java
 - com.progetto.VEBS
 - com.progetto.VEBS.configuration
 - com.progetto.VEBS.controller
 - AreaBluController.java
 - AreaVerdeController.java
 - IncidenzaArboreaController.java
 - IngressoController.java
 - PoligonoAreaVerdeController.java
 - PoligonoPopolazioneController.java
 - com.progetto.VEBS.mapper
 - AreaBluMapper.java
 - AreaVerdeMapper.java
 - IncidenzaArboreaMapper.java
 - IngressoMapper.java
 - PoligonoAreaVerdeMapper.java
 - PoligonoPopolazioneMapper.java
 - com.progetto.VEBS.model.dto
 - AreaBluDTO.java
 - AreaVerdeDTO.java
 - IncidenzaArboreaDTO.java
 - IngressoDTO.java
 - PoligonoAreaVerdeDTO.java
 - PoligonoPopolazioneDTO.java
 - com.progetto.VEBS.model.entity

apicalls.js modals.jsx AreaVerdeSe... *AreaVerdeM...

```
10
11 //Questa tipologia di classi serve per convertire le classi entità con le
12 @Mapper(componentModel = "spring")
13 public interface AreaVerdeMapper {
14
15     default AreaVerdeDTO toDTO(AreaVerde entity) {
16         if ( entity == null ) {
17             return null;
18         }
19         AreaVerdeDTO areaVerdeDTO = new AreaVerdeDTO();
20         areaVerdeDTO.setId(entity.getId());
21         areaVerdeDTO.setNome(entity.getNome());
22         areaVerdeDTO.setDensita_alberi(entity.getDensita_alberi());
23         areaVerdeDTO.setGeometria(entity.getGeometria().toText());
24         areaVerdeDTO.setArea(entity.getArea());
25         areaVerdeDTO.setComune(entity.getArea());
26         areaVerdeDTO.setArea(entity.getArea());
27         areaVerdeDTO.setPoligonoAreaVerde(entity.getPoligonoAreaVerde());
28         areaVerdeDTO.setData(entity.getData());
29         return areaVerdeDTO;
30     }
31
32     default AreaVerde toEntity(AreaVerdeDTO dto) {
33         if ( dto == null ) {
34             return null;
35         }
36     }
37 }
```

Console Problems Progress Debug S... Search Servers X Debug

Tomcat v9.0 Server at localhost [Stopped, Republish]

Attiva Windows
Passa a Impostazioni per attivare Windows.

Writable Smart Insert 25:31:917

Scrive qui il testo da cercare.

10:04 09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- Servers
- VEBS [boot]
 - Deployment Descriptor: VEBS
 - JAX-WS Web Services
 - Java Resources
 - src/main/java
 - com.progetto.VEBS
 - com.progetto.VEBS.configuration
 - com.progetto.VEBS.controller
 - AreaBluController.java
 - AreaVerdeController.java
 - IncidenzaArboreaController.java
 - IngressoController.java
 - PoligonoAreaVerdeController.java
 - PoligonoPopolazioneController.java
 - com.progetto.VEBS.mapper
 - AreaBluMapper.java
 - AreaVerdeMapper.java
 - IncidenzaArboreaMapper.java
 - IngressoMapper.java
 - PoligonoAreaVerdeMapper.java
 - PoligonoPopolazioneMapper.java
 - com.progetto.VEBS.model.dto
 - AreaBluDTO.java
 - AreaVerdeDTO.java
 - IncidenzaArboreaDTO.java
 - IngressoDTO.java
 - PoligonoAreaVerdeDTO.java
 - PoligonoPopolazioneDTO.java
 - com.progetto.VEBS.model.entity

feature.js apicalls.js DialogDataC... modals.jsx AreaVerdeSe...

```
85 poligono_area_verde.setGeometria(geom);
86 } catch (ParseException e) {
87     e.printStackTrace();
88 }
89 poligono_area_verde.setComune(areaverdeDTO.getComune());
90 poligono_area_verde.setNome(areaverdeDTO.getNome());
91 poligono_area_verde.setDensita_alberi(areaverdeDTO.getDensita_alberi());
92 poligono_area_verde.setArea(areaverdeDTO.getArea());
93
94 poligonoAreaVerdeRepository.saveAndFlush(poligono_area_verde);
95
96 // aggiornno i campi dell'area verde
97 AreaVerde areaverde = new AreaVerde();
98
99 areaverde.setId(areaverdeDTO.getId());
100 areaverde.setNome(areaverdeDTO.getNome());
101 areaverde.setDensita_alberi(areaverdeDTO.getDensita_alberi());
102 areaverde.setArea(areaverdeDTO.getArea());
103 areaverde.setComune(areaverdeDTO.getComune());
104 areaverde.setPoligonoAreaVerde(poligono_area_verde);
105 try {
106     geom = reader.read(areaverdeDTO.getGeometria());
107     areaverde.setGeometria(geom);
108 } catch (ParseException e) {
109     e.printStackTrace();
110 }
```

Console Problems Progress Debug S... Search Servers X Debug

Tomcat v9.0 Server at localhost [Stopped, Republish]

Attiva Windows
Passa a Impostazioni per attivare Windows.

Writable Smart Insert 112 : 1 : 4002 Building: (90%)

Scrive qui il testo da cercare.

10:05 09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- Servers
- VEBS [boot]
 - Deployment Descriptor: VEBS
 - JAX-WS Web Services
 - Java Resources
 - src/main/java
 - com.progetto.VEBS
 - com.progetto.VEBS.configuration
 - com.progetto.VEBS.controller
 - AreaBluController.java
 - AreaVerdeController.java
 - IncidenzaArboreaController.java
 - IngressoController.java
 - PoligonoAreaVerdeController.java
 - PoligonoPopolazioneController.java
 - com.progetto.VEBS.mapper
 - AreaBluMapper.java
 - AreaVerdeMapper.java
 - IncidenzaArboreaMapper.java
 - IngressoMapper.java
 - PoligonoAreaVerdeMapper.java
 - PoligonoPopolazioneMapper.java
 - com.progetto.VEBS.model.dto
 - AreaBluDTO.java
 - AreaVerdeDTO.java
 - IncidenzaArboreaDTO.java
 - IngressoDTO.java
 - PoligonoAreaVerdeDTO.java
 - PoligonoPopolazioneDTO.java
 - com.progetto.VEBS.model.entity

feature.js apicalls.js DialogDataC... modals.jsx *AreaVerdeS...

```
51 areaVerdeRepository.deleteById(id);
52 }
53
54 public void updateAreaVerde(AreaVerdeDTO areaverdeDTO) throws ResourceNo
55     AreaVerde areaverde = areaVerdeRepository.findById(areaverdeDTO.getId())
56         .orElseThrow(() -> new ResourceNotFoundException("Record non
57
58     WKTReader reader = new WKTReader();
59     Geometry geom;
60     try {
61         geom = reader.read(areaverdeDTO.getGeometria());
62         areaverde.setGeometria(geom);
63     } catch (ParseException e) {
64         // TODO Auto-generated catch block
65         e.printStackTrace();
66     }
67     areaverde.setId(areaverdeDTO.getId());
68     areaverde.setNome(areaverdeDTO.getNome());
69     areaverde.setDensita_alberi(areaverdeDTO.getDensita_alberi());
70     areaverde.setArea(areaverdeDTO.getArea());
71     areaverde.setComune(areaverdeDTO.getComune());
72     areaverde.setUbicazione(areaverdeDTO.getUbicazione());
73     areaverde.setPoligonoAreaVerde(areaverdeDTO.getPoligonoAreaVerde());
74
75     areaVerdeRepository.saveAndFlush(areaverde);
76 }
```

Console Problems Progress Debug S... Search Servers X Debug

Tomcat v9.0 Server at localhost [Stopped, Republish]

Attiva Windows
Passa a Impostazioni per attivare Windows.

Writable Smart Insert 72 : 63 : 2636

Scrive qui il testo da cercare.

10:05 09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- Servers
- VEBS [boot]
 - Deployment Descriptor: VEBS
 - JAX-WS Web Services
 - Java Resources
 - src/main/java
 - com.progetto.VEBS
 - com.progetto.VEBS.configuration
 - com.progetto.VEBS.controller
 - AreaBluController.java
 - AreaVerdeController.java
 - IncidenzaArboreaController.java
 - IngressoController.java
 - PoligonoAreaVerdeController.java
 - PoligonoPopolazioneController.java
 - com.progetto.VEBS.mapper
 - AreaBluMapper.java
 - AreaVerdeMapper.java
 - IncidenzaArboreaMapper.java
 - IngressoMapper.java
 - PoligonoAreaVerdeMapper.java
 - PoligonoPopolazioneMapper.java
 - com.progetto.VEBS.model.dto
 - AreaBluDTO.java
 - AreaVerdeDTO.java
 - IncidenzaArboreaDTO.java
 - IngressoDTO.java
 - PoligonoAreaVerdeDTO.java
 - PoligonoPopolazioneDTO.java
 - com.progetto.VEBS.model.entity

feature.js apicalls.js DialogDataC... modals.jsx AreaVerdeSe...

```
76 }
77
78 public void updateAreaVerdeAndCreatePolAreaVerde (AreaVerdeDTO areave
79
80 // creo il record nella tabella dei poligoni aree verdi
81 PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();
82
83 WKTRReader reader = new WKTRReader();
84 Geometry geom;
85 try {
86     geom = reader.read(areaverdeDTO.getGeometria());
87     poligono_area_verde.setGeometria(geom);
88 } catch (ParseException e) {
89     e.printStackTrace();
90 }
91 poligono_area_verde.setComune(areaverdeDTO.getComune());
92 poligono_area_verde.setNome(areaverdeDTO.getNome());
93 poligono_area_verde.setDensita_alberi(areaverdeDTO.getDensita_al
94 poligono_area_verde.setArea(areaverdeDTO.getArea());
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:06:00)

WARN 10392 --- [nio-8081-exec-2] .w.s.m.s.DefaultHandlerExceptionReso

Writable Smart Insert 81 : 1 : 2942



Scrivi qui il testo da cercare.



10:07

09/09/2025



eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/controller/AreaVerdeController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project... X apicalls.js DialogDataC... modals.jsx AreaVerdeSe... AreaVerdeCon... X

Servers
VEBS [boot]
Deployment De
JAX-WS Web Se
Java Resources
src/main/jav
com.prog
com.prog
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog

```
56 }  
57  
58 @PatchMapping("/update")  
59 HttpStatus updateRecord(@RequestBody AreaVerdeDTO area) {  
60     areaVerdeService.updateAreaVerde(area);  
61     return HttpStatus.OK;  
62 }  
63  
64 @PatchMapping("/update/polareaverde_create")  
65 HttpStatus updateRecordAndCreatePolAreaVerde(@RequestBody AreaVerdeDTO area) {  
66     areaVerdeService.updateAreaVerdeAndCreatePolAreaVerde(area);  
67     return HttpStatus.OK;  
68 }  
69  
70 @GetMapping("/fieldstring")  
71 Map<String, Object> getFormFields() {  
72     return areaVerdeService.getFieldsAreeVerdi();  
73 }  
74
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:10:51)

xc.MismatchedInputException: Cannot construct instance of `com.progetto.VEBS.model`

Attiva Windows
Passa a Impostazioni per attivare Windows

Scrive qui il testo da cercare.

10:18
09/09/2025


```
2025-09-09 10:18:20.284 WARN 4028 --- [nio-8081-exec-1] .w.s.m.s.DefaultHandlerExceptionHandlerResolver :  
Resolved [org.springframework.http.converter.HttpMessageNotReadableException: JSON parse error: Cannot construct instance of
```

Attiva Windows
Passa a Impostazioni per attivare
Windows.

Linea 2, colonna 1

100%

Windows (CRLF)

UTF-8



Scrivi qui il testo da cercare.




10:19
09/09/2025



File Modifica Formato Visualizza ?

```
2025-09-09 10:18:20.284 WARN 4028 --- [nio-8081-exec-1] .w.s.m.s.DefaultHandlerExceptionHandlerResolver :  
Resolved [org.springframework.http.converter.HttpMessageNotReadableException:  
JSON parse error: Cannot construct instance of `com.progetto.VEBS.model.entity.PoligonoAreaVerde`  
(although at least one Creator exists): no int/Int-argument constructor/factory method to deserialize  
from Number value (9); nested exception is com.fasterxml.jackson.databind.exc.MismatchedInputException:  
Cannot construct instance of `com.progetto.VEBS.model.entity.PoligonoAreaVerde` (although at least one Creator exists):  
no int/Int-argument constructor/factory method to deserialize  
from Number value (9)<EOL> at [Source: (org.springframework.util.StreamUtils$NonClosingInputStream); line: 1, column: 1117]  
(through reference chain: com.progetto.VEBS.model.dto.AreaVerdeDTO["poligono_area_verde"])]
```

eclipse-workspace - VEBS/src/main/java/com/progetto/
VEBS/controller/AreaVerdeController.java - Eclipse IDE



Attiva Windows
Passa a Impostazioni per attivare
Windows

Scriti qui il testo da cercare.



10:21
09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project... X apicalls.js DialogDataC... modals.jsx AreaVerdeSe... AreaVerdeCon...

Servers
VEBS [boot]
Deployment De
JAX-WS Web Se
Java Resources
src/main/jav
com.prog
com.prog
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog

```
76 }  
77  
78 public void updateAreaVerdeAndCreatePolAreaVerde (AreaVerdeDTO areaverdeDTO) throws  
79  
80 // creo il record nella tabella dei poligoni aree verdi  
81 PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();  
82  
83 WKTReader reader = new WKTReader();  
84 Geometry geom;  
85 try {  
86     geom = reader.read(areaverdeDTO.getGeometria());  
87     poligono_area_verde.setGeometria(geom);  
88 } catch (ParseException e) {  
89     e.printStackTrace();  
90 }  
91 poligono_area_verde.setComune(areaverdeDTO.getComune());  
92 poligono_area_verde.setNome(areaverdeDTO.getNome());  
93 poligono_area_verde.setDensita_alberi(areaverdeDTO.getDensita_alberi());  
94 poligono_area_verde.setArea(areaverdeDTO.getArea());
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:13:18)

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select areablu0_.id as idl_0_, areablu0_.data as data2_0_, areablu0_.geom
Hibernate: select areaverde0_.id as idl_1_, areaverde0_.area as area2_1_, areaverde0
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli
2025-09-09 10:18:20.284 WARN 4028 --- [nio-8081-exec-1] .w.s.m.s.DefaultHandlerExce

Writable Smart Insert 81 : 1 : 2942

Scrive qui il testo da cercare.

10:21 09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/controller/AreaVerdeController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project... X apicalls.js DialogDataC... AreaVerdeSe... AreaVerdeCon... X AreaVerde.java

Servers
VEBS [boot]
Deployment De
JAX-WS Web Se
Java Resources
src/main/jav
com.prog
com.prog
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog

```
53 HttpStatus deleteRecord(@PathVariable Integer id_area) {  
54     areaVerdeService.deleteAreaVerdeById(id_area);  
55     return HttpStatus.OK;  
56 }  
57  
58 @PatchMapping("/update")  
59 HttpStatus updateRecord(@RequestBody AreaVerdeDTO area) {  
60     areaVerdeService.updateAreaVerde(area);  
61     return HttpStatus.OK;  
62 }  
63  
64 @PatchMapping("/update/polareaverde_create")  
65 HttpStatus updateRecordAndCreatePolAreaVerde(@RequestBody AreaVerdeDTO area) {  
66     areaVerdeService.updateAreaVerdeAndCreatePolAreaVerde(area);  
67     return HttpStatus.OK;  
68 }  
69  
70 @GetMapping("/fieldstring")  
71 Map<String, Object> getFormFields() {
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:13:51)

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select areablu0_.id as id1_0_, areablu0_.data as data2_0_, areablu0_.geom
Hibernate: select areaverde0_.id as id1_1_, areaverde0_.area as area2_1_, areaverde0
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poli
2025-09-09 10:18:20.284 WARN 4028 --- [nio-8081-exec-1] .w.s.m.s.DefaultHandlerExce

Writable Smart Insert 1:1:0



Scrivi qui il testo da cercare.



10:21
09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/controller/AreaVerdeController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project... X apicalls.js DialogDataC... AreaVerdeSe... AreaVerdeCon... X AreaVerde.java

Servers
VEBS [boot]
Deployment De
JAX-WS Web Se
Java Resources
src/main/jav
com.prog
com.prog
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog

```
59 HttpStatus updateRecord(@RequestBody AreaVerdeDTO area) {  
60     areaVerdeService.updateAreaVerde(area);  
61     return HttpStatus.OK;  
62 }  
63  
64 @PatchMapping("/update/polareaverde_create")  
65 HttpStatus updateRecordAndCreatePolAreaVerde(@RequestBody AreaVerdeDTO area) {  
66     areaVerdeService.updateAreaVerdeAndCreatePolAreaVerde(area);  
67     return HttpStatus.OK;  
68 }  
69  
70 @GetMapping("/fieldstring")  
71 Map<String, Object> getFormFields() {  
72     return areaVerdeService.getFieldsAreeVerdi();  
73 }  
74  
75 }  
76
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:14:00)

Hibernate: select poligonoar0 .id as idl 4 0 , poligonoar0 .area as area2 4 0 , poli ^

2025-09-09 10:18:20.284 WARN 4028 --- [nio-8081-exec-1] .w.s.m.s.DefaultHandlerExce

2025-09-09 10:21:54.115 INFO 4028 --- [alina-utility-2] o.apache.catalina.core.Stan

2025-09-09 10:21:54.117 INFO 4028 --- [alina-utility-2] o.a.c.c.C.[.[localhost].[/V

2025-09-09 10:21:54.117 INFO 4028 --- [alina-utility-2] o.a.c.c.C.[.[localhost].[/V

2025-09-09 10:21:54.122 INFO 4028 --- [alina-utility-2] j.LocalContainerEntityManag

2025-09-09 10:21:54.125 INFO 4028 --- [alina-utility-2] com.zaxxer.hikari.HikariDat

2025-09-09 10:21:54.142 INFO 4028 --- [alina-utility-2] com.zaxxer.hikari.HikariDat

Writable Smart Insert 1:1:0

Scrive qui il testo da cercare.

10:21 09/09/2025


```
2025-09-09 10:18:20.284 WARN 4028 --- [nio-8081-exec-1] .w.s.m.s.DefaultHandlerExceptionResolver :  
Resolved [org.springframework.http.converter.HttpMessageNotReadableException:  
JSON parse error: Cannot construct instance of `com.progetto.VEBS.model.entity.PoligonoAreaVerde`  
(although at least one Creator exists): no int/Int-argument constructor/factory method to deserialize  
from Number value (9); nested exception is com.fasterxml.jackson.databind.exc.MismatchedInputException:  
Cannot construct instance of `com.progetto.VEBS.model.entity.PoligonoAreaVerde` (although at least one Creator exists):  
no int/Int-argument constructor/factory method to deserialize  
from Number value (9)<EOL> at [Source: (org.springframework.util.StreamUtils$NonClosingInputStream); line: 1, column: 1117]  
(through reference chain: com.progetto.VEBS.model.dto.AreaVerdeDTO["poligono_area_verde"])]
```

Attiva Windows

Passa a Impostazioni per attivare
Windows.

Linea 9, colonna 67

100%

Windows (CRLF)

UTF-8



Scrivi qui il testo da cercare.



10:23

09/09/2025



eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project... DialogDataC... AreaVerdeSe... AreaVerdeCon... AreaVerde.java PoligonoAre...

com.prog ^
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
com.prog
src/main/res
target/gener
target/gener
Libraries
Deployed Resol
node
node_modules

```
76 }  
77  
78 public void updateAreaVerdeAndCreatePolAreaVerde (AreaVerdeDTO areaverdeDTO) throws  
79  
80 // creo il record nella tabella dei poligoni aree verdi  
81 PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();  
82  
83 WKTReader reader = new WKTReader();  
84 Geometry geom;  
85 try {  
86     geom = reader.read(areaverdeDTO.getGeometria());  
87     poligono_area_verde.setGeometria(geom);  
88 } catch (ParseException e) {  
89     e.printStackTrace();  
90 }  
91 poligono_area_verde.setComune(areaverdeDTO.getComune());  
92 poligono_area_verde.setNome(areaverdeDTO.getNome());  
93 poligono_area_verde.setDensita_alberi(areaverdeDTO.getDensita_alberi());  
94
```


Console Problems Progress Debug Shell Search Servers Debug X

- Thread [main] (Running)
- Thread [Catalina-utility-1] (Running)
- Thread [Catalina-utility-2] (Running)
- Thread [http-nio-8081-Poller] (Running)
- Thread [http-nio-8081-Acceptor] (Running)
- Thread [HikariPool-2 housekeeper] (Running)
- Thread [http-nio-8081-exec-11] (Running)
- Thread [http-nio-8081-exec-12] (Running)
- Thread [http-nio-8081-exec-13] (Suspended (breakpoint at line 81 in AreaVerdeService))
 - AreaVerdeService.updateAreaVerdeAndCreatePolAreaVerde(AreaVerdeDTO) line: 81
 - AreaVerdeController.updateRecordAndCreatePolAreaVerde(AreaVerdeDTO) line: 66

Writable Smart Insert 81 : 1 : 2942

Attiva Windows
Passa a Impostazioni per attivare
Windows.

10:25
09/09/2025



eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project... DialogDataC... AreaVerdeSe... AreaVerdeCon... AreaVerde.java PoligonoAre...

```
99 AreaVerde areaverde = new AreaVerde();
100
101 areaverde.setId(areaverdeDTO.getId());
102 areaverde.setNome(areaverdeDTO.getNome());
103 areaverde.setDensita_alberi(areaverdeDTO.getDensita_alberi());
104 areaverde.setArea(areaverdeDTO.getArea());
105 areaverde.setComune(areaverdeDTO.getComune());
106 areaverde.setUbicazione(areaverdeDTO.getUbicazione());
107 areaverde.setPoligonoAreaVerde(poligono_area_verde);
108 try {
109     geom = reader.read(areaverdeDTO.getGeometria());
110     areaverde.setGeometria(geom);
111 } catch (ParseException e) {
112     e.printStackTrace();
113 }
114
115 areaVerdeRepository.saveAndFlush(areaverde);
116 }
```

com.prog ^

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

src/main/res

target/gener

target/gener

Libraries

Deployed Resou

node

node_modules

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:19:36)

Hibernate: select areaverde0_.id as idl_1_, areaverde0_.area as area2_1_, areaverde0_

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli

Hibernate: insert into poligono area verde (area, comune, data, densita alberi, geom

Hibernate: select currval('poligono_area_verde_id_seq')

Hibernate: select areaverde0_.id as idl_1_0_, areaverde0_.area as area2_1_0_, areave

Hibernate: update area_verde set area=?, comune=?, data=?, densita_alberi=?, geometr

Na... Val ^

- Are
- Are
- Are
- Pol

Trigger Poi

Hit count:

Conditiona

<Choose a pr

Passa a Impostazioni per attivare Windows

Writable Smart Insert 116: 1: 4216



Scrivi qui il testo da cercare.



10:27

09/09/2025





Fetch x Progetto V x Cross-Orig x Progetto V x Getting St x Progetto V x + -

localhost:5173

DevTools is now available in Italian
Don't show again Always match Chrome

Sources 14

hook.js apicalls.js

Page

top

```
12
13 //API Rest per il sal
14 export function handl
15     return fetch('htt
16         method: 'POST
17         headers: { 'C
18         body: JSON.st
19     });
20 };
21
22 //API Rest per la ges
23 export function handl
24
25     if (data.controll
26         return fetch(
27             method: '
28             headers:
29             body: JSC
30         );
31     } else {
32         return fetch(
33             method: '
34             headers:
35             body: JSC
36         );
37     }
38 }
```

Line 25, Column 31 (From g

Scope

OpenStreetMap contributors.

Scrive qui il testo da cercare.

10:33 09/09/2025

Fetch x Progetto \ x Cross-Orig x Progetto \ x Getting St x Progetto \ x + -

localhost:5173

DevTools is now available in Italian
Don't show again Always match Chrome's language Switch

Elements Console Sources >> 14

Page >> apicalls.js DialogDataComponent.jsx >>

top l...

```
// Inizializzo ubicazione
if (featureData.ubicazione =
    featureData.ubicazione =
// Inizializzo comune
if (featureData.comune === n
    featureData.comune = "";

// Inizializzo la data
if (featureData.data) {
    var date = new Date(feat
    featureData.data = date;
}

// Inizializzo l'area
if (featureData.area) {
    setArea(featureData.area
    setAreaButton(false);
} else {
    setArea(null);
    setAreaButton(true);
}

// Inizializzo la geometria
var geometria;
var format = new WKT();
geometria = format.writeGeom
featureData = { ...featureDa
```

Line 91, Column 4 (From DialogDataComponent.jsx?t=1)

Scope Watch

10:33 09/09/2025

Scrivi qui il testo da cercare.

OpenStreetMap contributors.

Fetch x Progetto V x Cross-Orig x Progetto V x Getting St x Progetto V x + -

localhost:5173

DevTools is now available in Italian
Don't show again Always match Chrome's language Switch

Elements Console Sources >> 14

Page >> apicalls.js DialogDataComponent.jsx >>

top

```
// Inizializzo ubicazione
if (featureData.ubicazione =
    featureData.ubicazione =
// Inizializzo comune
if (featureData.comune === n
    featureData.comune = "";

// Inizializzo la data
if (featureData.data) {
    var date = new Date(feat
    featureData.data = date;
}

// Inizializzo l'area
if (featureData.area) {
    setArea(featureData.area
    setAreaButton(false);
} else {
    setArea(null);
    setAreaButton(true);
}

// Inizializzo la geometria
var geometria;
var format = new WKT();
geometria = format.writeGeom
featureData = { ...featureDa
```

Line 67, Column 4 (From DialogDataComponent.jsx?t=1)

Scope Watch

OpenStreetMap contributors.

Scrive qui il testo da cercare.

10:33 09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/components/DialogData

File Edit Source Navigate Search Project Run Window Help

Project... MapComponent... feature.js apicalls.js DialogDataCo... modals.jsx VEBS/pom.xml

```
66 else*/
67 featureData = feature.values_;
68
69 // Aggiungo la proprietà tipo
70 featureData = { ...featureData, tipo: typeGeometry };
71
72 // Inizializzo nome
73 if (featureData.nome === null)
74     featureData.nome = "";
75
76 // Inizializzo densità
77 if (featureData.densita_alberi === null)
78     featureData.densita_alberi = 0.0;
79
80 // Inizializzo ubicazione
81 if (featureData.ubicazione === null)
82     featureData.ubicazione = "";
83
84 // Inizializzo comune
85 if (featureData.comune === null)
86     featureData.comune = "";
```

com.prog ^

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

src/main/res

target/gener

target/gener

Libraries

Deployed Resou

node

node_modules

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:27:56)

```
2025-09-09 10:35:16.345 INFO 4028 --- [io-8081-exec-29] o.s.web.servlet.DispatcherS ^
2025-09-09 10:35:16.346 INFO 4028 --- [io-8081-exec-29] o.s.web.servlet.DispatcherS
Hibernate: select areablu0_.id as id1_0_, areablu0_.data as data2_0_, areablu0_.geom
Hibernate: select areaverde0_.id as id1_1_, areaverde0_.area as area2_1_, areaverde0
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poli
```


Writable Insert 77:43:1983

Scrive qui il testo da cercare.

10:35 09/09/2025

Fetch x Progetto V x M Cross-Orig x Progetto V x Getting St x Progetto V x + -

localhost:5173



DevTools is now available in Italian
Don't show again Always match Chrome's language Switch

Elements Console Sources >> 1 1 Filter Default levels

19 Issues: 1 18 3 hidden

▶ Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#concept-> `ExecutorGroup.js:265`

Attiva Windows
Passa a Impostazioni per attivare Windows.

Scrive qui il testo da cercare.

10:35 09/09/2025

Fetch

Progetto

Cross-Orig

Progetto

Getting St

Progetto

localhost:5173

DevTools is now available in Italian

Don't show again

Always match Chrome's language

Switch

Elements

Console

Sources

4

1

Filter

Default levels

19 Issues: 1 18 3 hidden

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#concept->

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#concept->

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#concept->

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#concept->

Attiva Windows

Passa a Impostazioni per attivare Windows.

Scrive qui il testo da cercare.

10:36

09/09/2025

+

-

+

-

+

-

Viale Aldo Moro

SS17 bis

SR615

L'Aquila

Torre

Via della Piovra

Via Porta Napoli

SR5 bis

Strada Statale 5 bis

Via Codalunga

Via L'Aquila

Via Mausonia

Via S...

SP120

R615 dir

Pineta

Cimitero monumentale dell'Aquila

Aterno

© OpenStreetMap contributors.

Dettaglio

Fetch

Progetto

Cross-Orig

Progetto

Getting St

Progetto

localhost:5173

DevTools is now available in Italian

Don't show again

Always match Chrome's language

Switch

Elements

Console

20

4

4

Filter

Default levels

22 Issues: 4 18 7 hidden

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#conc...>

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#conc...>

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#conc...>

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#conc...>

Received `false` for a non-boolean attribute `ariaexpanded`.
If you want to write it to the DOM, pass a string instead: ariaexpanded="false" or ariaexpanded={value.toString()}.

Uncaught Error: Attempting to use a disconnected port object
at handleMessageFromPage (proxy.js:1:779)

+

-

aiuola

Aiuola strada via Falloni ✓

Aiuola stradale via Maccabrac ✓

Aiuola stradale Porretta-Mart ✓

Aiuola stradale L.da Vinci ✓

Aiuola stradale via I. Peli ✓

Aiuola stradale Bazzanese-Sab ✓

Aiuola stradale Ferrovia-Copp ✓

Aiuola stradale G. Rossa-Auto ✓

Aiuola stradale G. Rossa conf ✓

Aiuola stradale Brodolini-C. ✓

Aiuola stradale Magnanelli ✓

Aiuola stradale via Caravaggi ✓

Aiuola stradale canonica ✓

Id 3318

Nome

Area blu

Area verde

Data

Inse

esso

il punto.

Seleziona area verde...

Salva

Annulla

09/09/2025

Scrivi qui il testo da cercare.

10:39

09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X MapComponent... feature.js apicalls.js DialogDataCo... modals.jsx X VEBS/pom.xml

com.prog ^
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
src/main/res
target/gener
target/gener
Libraries
Deployed Resou
node
node_modules

```
292 <DialogTitle>Inserisci i dettagli dell'ingresso</DialogTitle>
293 <DialogDescription>
294     Compila i campi e salva per associare i dati al punto.
295 </DialogDescription>
296 <DialogHeader>
297 <div className="grid gap7 py4">
298 <div className="flex flexcol gap2">
299     <Label htmlFor="id" className="textxl fontmedium textgray700">Id</Label>
300     <Input disabled id="id" name="id" value={formData.id || ''} />
301 </div>
302 <div className="flex flex-col gap2">
303     <Label htmlFor="nome" className="textxl fontmedium textgray700">Nome</Label>
304     <Input id="nome" name="nome" value={formData.nome || ''} onChange={handleChange} />
305 </div>
306 <div className="flex flex-col gap2">
307     <Label htmlFor="area_blu" className="textxl fontmedium textgray700">Area blu</Label>
308     <Popover disabled open={openComboAreaBlu} onOpenChange={setOpenComboAreaBlu} value={formData.area_blu} />
309     <PopoverTrigger asChild>
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:32:41)

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.geom as geom2_4_0_ from poligonoar0_ where poligonoar0_.id = ?

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.geom as geom2_4_0_ from poligonoar0_ where poligonoar0_.id = ?

Hibernate: select areablu0_.id as idl_0_, areablu0_.data as data2_0_, areablu0_.geom as geom2_0_ from areablu0_ where areablu0_.id = ?

Hibernate: select areaverde0_.id as idl_1_, areaverde0_.area as area2_1_, areaverde0_.geom as geom2_1_ from areaverde0_ where areaverde0_.id = ?

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.geom as geom2_4_0_ from poligonoar0_ where poligonoar0_.id = ?

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.geom as geom2_4_0_ from poligonoar0_ where poligonoar0_.id = ?

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.geom as geom2_4_0_ from poligonoar0_ where poligonoar0_.id = ?

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.geom as geom2_4_0_ from poligonoar0_ where poligonoar0_.id = ?

Writable Insert 234 : 53 [8]

Scrive qui il testo da cercare.

10:40 09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utlis/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X MapComponent... feature.js apicalls.js DialogDataCo... modals.jsx X VEBS/pom.xml

```
230<div className="flex flex-col gap2">
231  <Label htmlFor="data" className="textxl fontmedium textgray">
232    <Popover open={openDatePicker} onOpenChange={setOpenDatePic
233      <PopoverTrigger asChild>
234        <Button disabled
235          variant="outline"
236          id="date"
237          className="w48 justifybetween fontnormal"
238        >
239          {formData.data ? formData.data.toLocaleDateStri
240        </Button>
241      </PopoverTrigger>
242      <PopoverContent className="wauto overflowhidden p0" als
243        <Calendar
244          mode="single"
245          selected={date}
246          captionLayout="dropdown"
247          onSelect={(date) => {
248            setDate(date)
249            setOpenDatePicker(false)
250          }}
251        />
252      </PopoverContent>
253    </Popover>
254  </div>
255  <div className="w-full p-6 flex justify-center">
```

com.prog ^

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

src/main/res

target/gener

target/gener

Libraries

Deployed Resou

node

node_modules

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:34:31)

2025-09-09 10:42:02.471 INFO 4028 --- [alina-utility-1] o.apache.catalina.core.Stan

Writable Insert 255 : 25 [897]

Passa a Impostazioni per attivare Windows.



Scrivi qui il testo da cercare.



10:42

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utlis/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X MapComponent... feature.js apicalls.js DialogDataCo... modals.jsx X VEBS/pom.xml

```
316 {valueAreaBlu
317   ? areeBlu.find((areaBlu) => areaBlu.nome === valueAreaBlu)?.nome
318   : "Seleziona area blu..."}
319   <ChevransUpDown className="opacity50" />
320   </Button>
321 </PopoverTrigger>
322 <PopoverContent className="w[500px] p0">
323   <Command>
324     <CommandInput placeholder="Cerca area blu..." className="h9" />
325     <CommandList>
326       <CommandEmpty>Nessuna area blu trovata.</CommandEmpty>
327       <CommandGroup>
328         {areeBlu.map((areaBlu) => (
329           <CommandItem
330             key={areaBlu.id}
331             value={areaBlu.id}
332             onSelect={(currentValue) => {
333               setValueAreaBlu(currentValue === valueAreaBlu ? "" : cu
334               setOpenComboAreaBlu(false)
335             }}
336           >
337             {areaBlu.nome}
338             <Check
339               className={cn(
340                 "mlauto",
341                 valueAreaBlu === areaBlu.id ? "opacity100" : "opaci
```

com.prog ^

- > AreaBl
- > AreaVe
- > Incidei
- > Ingres:
- > Poligo
- > Poligo

com.prog

- > AreaBl
- > AreaVe
- > Incidei
- > Ingres:
- > Poligo
- > Poligo

com.prog

- > AreaBl
- > AreaVe
- > Incidei
- > Ingres:
- > Poligo
- > Poligo

com.prog

- > AreaBl
- > AreaVe
- > Incidei
- > Ingres:
- > Poligo
- > Poligo

src/main/res

target/gener

target/gener

Libraries

Deployed Resou

node

node_modules

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:37:10)

2025-09-09 10:43:43.784 INFO 4028 --- [alina-utility-2] o.apache.catalina.core.Stan

Writable Insert 324 : 46 : 13243

10:45 09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDataComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X MapComponent... feature.js apicalls.js DialogDataCo... X modals.jsx X VEBS/pom.xml

VEBS/src/main/frontend/src/utis/modals.jsx

```
105 }
106
107 setFormData(prev => ({ ...prev, ...featureData }));
108
109 // funzione per la fetch delle geometrie delle aree blu e verdi
110 async function fetchDataAree() {
111   try {
112     const areeBluResp = await getAllAreeBlu();
113     const areeBluJson = await areeBluResp.json();
114     const areeVerdiResp = await getAllAreeVerdi();
115     const areeVerdiJson = await areeVerdiResp.json();
116
117     setAreeBlu(areeBluJson || []);
118     setAreeVerdi(areeVerdiJson || []);
119   } catch (err) {
120     console.error("Errore nel fetch dei dati delle aree:", err);
121   }
122 }
123
124 fetchDataAree();
125
126 }, [feature]);
127
128 const handleChange = e => {
129   const { name, value } = e.target;
```

com.prog ^

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

src/main/res

target/gener

target/gener

Libraries

Deployed Resou

node

node_modules

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:38:27)

2025-09-09 10:43:43.784 INFO 4028 --- [alina-utility-2] o.apache.catalina.core.Stan

Writable Insert 113 : 34 : 2960



Scrivi qui il testo da cercare.



10:46
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utis/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X MapComponent... feature.js apicalls.js DialogDataCo... modals.jsx X VEBS/pom.xml

```
352
353 sName="flex flex-col gap2">
354 1 htmlFor="area_blu" className="textxl fontmedium textgray700">Area verde</Label>
355 ver open={openComboAreaVerde} onOpenChange={setOpenComboAreaVerde} value={formData.area
356 PopoverTrigger asChild>
357 <Button
358   variant="outline"
359   role="combobox"
360   ariaexpanded={openComboAreaVerde}
361   className="w[500px] justifybetween"
362   >
363     {valueAreaVerde
364       ? areeVerdi.find((areaVerde) => areaVerde.nome === valueAreaVerde) ?.nome
365       : "Seleziona area verde..."}
366     <ChevrnsUpDown className="opacity50" />
367   </Button>
368 /PopoverTrigger>
369 PopoverContent className="w[500px] p0">
370 <Command>
371   <CommandInput placeholder="Cerca area verde..." className="h9" />
372   <CommandList>
373     <CommandEmpty>Nessuna area verde trovata.</CommandEmpty>
374     <CommandGroup>
375       {areeVerdi.map((areaVerde) => (
376         <CommandItem
```

com.prog ^

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

src/main/res

target/gener

target/gener

Libraries

Deployed Resou

node

node_modules

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:40:09)

2025-09-09 10:43:43.784 INFO 4028 --- [alina-utility-2] o.apache.catalina.core.Stan

Writable Insert 388 : 79 [14]

Passa a Impostazioni per attivare Windows




Scrivi qui il testo da cercare.



10:48

09/09/2025





×

Inserisci i dettagli dell'ingresso

Compila i campi e salva per associare i dati al punto.

Id

Nome

Area blu

Seleziona area blu... ▾

Area verde

Seleziona area verde... ▾


Data

Salva

Annulla

The screenshot shows the Chrome DevTools console with the 'Console' tab selected. A warning message is displayed: 'Received "false" for a non-boolean attribute "ariaexpanded".' The message indicates that the attribute 'ariaexpanded' is being used with a non-boolean value 'false'. Below the message, there is a link to 'nook.js:608'. The stack trace shows the following sequence of calls:

- overrideMethod @ nook.js:608
- validateProperty @ react-dom-client.develop
- warnUnknownProperties @ react-dom-client.develop
- validatePropertiesInDevelopment @ react-dom-client.develop
- setInitialProperties @ react-dom-client.develop
- completeWork @ react-dom-client.develop
- runWithFiberInDEV @ react-dom-client.develop
- completeUnitOfWork @ react-dom-client.develop
- performUnitOfWork @ react-dom-client.develop
- workLoopSync @ react-dom-client.develop
- renderRootSync @ react-dom-client.develop
- performWorkOnRoot @ react-dom-client.develop
- performSyncWorkOnRoot @ react-dom-client.develop
- flushSyncWorkAcrossRoots_impl @ react-dom-client.develop
- processRootScheduleInMicrotask @ react-dom-client.develop
- (anonymous) @ react-dom-client.develop



eclipse-workspace - VEBS/src/main/frontend/src/utls/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X MapComponent... feature.js apicalls.js DialogDataCo... modals.jsx X VEBS/pom.xml

```
298<div className="flex flexcol gap2">
299  <Label htmlFor="id" className="textxl fontmedium textgray700">Id</Label>
300  <Input disabled id="id" name="id" value={formData.id || ''} />
301</div>
302<div className="flex flex-col gap2">
303  <Label htmlFor="nome" className="textxl fontmedium textgray700">Nome</Label>
304  <Input id="nome" name="nome" value={formData.nome || ''} onChange={handleNomeChange} />
305</div>
306<div className="flex flex-col gap2">
307  <Label htmlFor="area_blu" className="textxl fontmedium textgray700">Area Blu</Label>
308  <Popover disabled open={openComboAreaBlu} onOpenChange={setOpenComboAreaBlu}>
309    <PopoverTrigger asChild>
310      <Button
311        variant="outline"
312        role="combobox"
313        ariaexpanded={openComboAreaBlu}
314        className="w[500px] justifybetween"
315        >
316        {valueAreaBlu
317          ? areeBlu.find((areaBlu) => areaBlu.nome === valueAreaBlu)
318          : "Seleziona area blu..."}
319        <ChevroneUpDown className="opacity50" />
320      </Button>
321    </PopoverTrigger>
322    <PopoverContent className="w[500px] p0">
```

com.prog ^

- > AreaBl
- > AreaVe
- > Incidei
- > Ingres:
- > Poligo
- > Poligo
- > com.prog
- > AreaBl
- > AreaVe
- > Incidei
- > Ingres:
- > Poligo
- > Poligo
- > com.prog
- > com.prog
- > src/main/res
- > target/gener
- > target/gener
- > Libraries
- > Deployed Resou
- > node
- > node_modules

Console Problems Progress Debug Shell Search X Servers Debug

'ariaexpanded' - 4 matches in workspace (showing 3 of 4 matches)

- utls
- modals.jsx (2 matches)
- 313: ariaexpanded={openComboAreaBlu}

Writable Insert 313: 53 [12]

Attiva Windows
Passa a Impostazioni per attivare Windows.




Scrivi qui il testo da cercare.



10:49

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X MapComponent... feature.js apicalls.js DialogDataCo... modals.jsx X VEBS/pom.xml

```
298<div className="flex flexcol gap2">
299  <Label htmlFor="id" className="textxl fontmedium textgray700">Id</Label>
300  <Input disabled id="id" name="id" value={formData.id || ''} />
301</div>
302<div className="flex flex-col gap2">
303  <Label htmlFor="nome" className="textxl fontmedium textgray700">Nome</Label>
304  <Input id="nome" name="nome" value={formData.nome || ''} onChange={handleNomeChange} />
305</div>
306<div className="flex flex-col gap2">
307  <Label htmlFor="area_blu" className="textxl fontmedium textgray700">Area Blu</Label>
308  <Popover disabled open={openComboAreaBlu} onOpenChange={setOpenComboAreaBlu}>
309    <PopoverTrigger asChild>
310      <Button
311        variant="outline"
312        role="combobox"
313        aria-expanded={openComboAreaBlu}
314        className="w[500px] justifybetween"
315        >
316        {valueAreaBlu
317          ? areeBlu.find((areaBlu) => areaBlu.nome === valueAreaBlu)
318          : "Seleziona area blu..."}
319        <ChevroneUpDown className="opacity50" />
320      </Button>
321    </PopoverTrigger>
322    <PopoverContent className="w[500px] p0">
```

com.prog ^

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

src/main/res

target/gener

target/gener

Libraries

Deployed Resou

node

node_modules

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:42:20)

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli

Writable Insert 313: 71 [16]

10:50 09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X MapComponent... feature.js apicalls.js DialogDataCo... modals.jsx X VEBS/pom.xml

com.prog ^
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
AreaBl
AreaVe
Incidei
Ingres:
Poligo
Poligo
com.prog
com.prog
src/main/res
target/gener
target/gener
Libraries
Deployed Resou
node
node_modules

```
298<div className="flex flexcol gap2">
299  <Label htmlFor="id" className="textxl fontmedium textgray70">
300    <Input disabled id="id" name="id" value={formData.id || ''} />
301  </div>
302<div className="flex flex-col gap2">
303  <Label htmlFor="nome" className="textxl fontmedium textgray70">
304    <Input id="nome" name="nome" value={formData.nome || ''} />
305  </div>
306<div className="flex flex-col gap2">
307  <Label htmlFor="area_blu" className="textxl fontmedium textgray70">
308    <Popover disabled open={openComboAreaBlu} onOpenChange={setOpenComboAreaBlu} >
309      <PopoverTrigger asChild>
310        <Button
311          variant="outline"
312          role="combobox"
313          aria-expanded={openComboAreaBlu}
314          className="w[500px] justifybetween">
315          {valueAreaBlu
316            ? areeBlu.find((areaBlu) => areaBlu.nome === valueAreaBlu
317              : "Seleziona area blu..."}
318          <ChevransUpDown className="opacity50" />
319        </Button>
320      </PopoverTrigger>
321      <PopoverContent className="w[500px] p0">
322        <div>
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:44:00)

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.nome as nome3_4_0_ from poligonoar0_ where poligonoar0_.id = ?

Writable Insert 313 : 46 : 12831 Building: (90%)

Fetch

Progetti

Cross-

Progetti

Getting

Progetti

Combo

localhost:5173

+

-

Collebringioni

Aragno

Camarda

Pet

San Martino d'Ocre

Casentino

© OpenStreetMap contributors.

×

Inserisci i dettagli dell'ingresso

Compila i campi e salva per associare i dati al punto.

Id

Nome

Area blu

Seleziona area blu... ▾

Area verde

Seleziona area verde... ▾

Data

Seleziona data

Salva

Annulla

DevTools is now available in Italian

Don't show again

Always match Chrome's language

Switch

Elements

Console

Sources

1

3

Filter

Default levels ▾

17 Issues: 3 14 4 hidden

Received `false` for a non-boolean attribute `ariaexpanded`.

[hook.js:608](#)

If you want to write it to the DOM, pass a string instead: `ariaexpanded="false"` or `ariaexpanded={value.toString()}`.

If you used to conditionally omit it with `ariaexpanded={condition && value}`, pass `ariaexpanded={condition ? value : undefined}` instead.

Attiva Windows

Passa a Impostazioni per attivare Windows.

Scrive qui il testo da cercare.

10:52

09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X MapComponent... feature.js apicalls.js DialogDataCo... modals.jsx X VEBS/pom.xml

```
284
285 export const formIngresso = (open, onClose, handleSubmit, formData, handleChange, openI
286   areeVerdi, valueAreaBlu, setValueAreaBlu, openComboAreaBlu, setOpenComboAreaBlu, va
287   return (
288     <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
289       <form>
290         <DialogContent className="sm:maxw[425px]">
291           <DialogHeader>
292             <DialogTitle>Inserisci i dettagli dell'ingresso</DialogTitle>
293             <DialogDescription>
294               Compila i campi e salva per associare i dati al punto.
295             </DialogDescription>
296           </DialogHeader>
297           <div className="grid gap7 py4">
298             <div className="flex flexcol gap2">
299               <Label htmlFor="id" className="textxl fontmedium textgray70">ID</Label>
300               <Input disabled id="id" name="id" value={formData.id || ''} />
301             </div>
302             <div className="flex flex-col gap2">
303               <Label htmlFor="nome" className="textxl fontmedium textgray70">Nome</Label>
304               <Input id="nome" name="nome" value={formData.nome || ''} />
305             </div>
306             <div className="flex flex-col gap2">
307               <Label htmlFor="area_blu" className="textxl fontmedium textgray70">Area Blu</Label>
308               <Popover open={openComboAreaBlu} onOpenChange={setOpenComboAreaBlu}>
```

com.prog ^

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

com.prog

- AreaBl
- AreaVe
- Incidei
- Ingres:
- Poligo
- Poligo

src/main/res

target/gener

target/gener

Libraries

Deployed Resou

node

node_modules

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:44:50)

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli

Writable Insert 313 : 83 : 12859 Building: (90%)

Trigger Poi

Hit count:

Conditiona

<Choose a pt

Passa a Impostazioni per attivare

Windows



Scrivi qui il testo da cercare.



10:52
09/09/2025

Fetch x Proget x M Cross- x Proget x Getting x Proget x Combo x +

localhost:5173

DevTools is now available in Italian
Don't show again Always match Chrome's language Switch

Elements Console Sources >> 1 3 Filter Default levels

17 Issues: 3 14 6 hidden

▶ Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#concept-...> [ExecutorGroup.js:265](#)

Attiva Windows
Passa a Impostazioni per attivare Windows.

Scrive qui il testo da cercare.

10:53 09/09/2025



Fetch x Proget x Cross- x Proget x Getting x Proget x Combo x +

localhost:5173

DevTools is now available in Italian
Don't show again Always match Chrome's language Switch

Elements Console Sources >> 1 3 1 3 Filter Default levels

17 Issues: 3 14 6 hidden

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#concept-...>

Attiva Windows
Passa a Impostazioni per attivare Windows.

Fetch x Progetti x Cross- x Progetti x Getting x Progetti x Comb x +

localhost:5173

DevTools is now available in Italian
Don't show again Always match Chrome's language Switch

Elements Console Sources >> 1 3 17 Issues: 3 14 6 hidden

Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#concept-...>

Nome

Area Archeologica di Forcona

Ubicazione

prova

Area

26388.832272371237 m²

Comune

L'Aquila

Fonte dati

OpenStreetMap

Dettaglio

Attiva Windows

Passa a Impostazioni per attivare Windows.

Scrivi qui il testo da cercare.

10:54 09/09/2025

File Modifica Formato Visualizza ?

```
2025-09-09 10:18:20.284 WARN 4028 --- [nio-8081-exec-1] .w.s.m.s.DefaultHandlerExceptionResolver :  
Resolved [org.springframework.http.converter.HttpMessageNotReadableException:  
JSON parse error: Cannot construct instance of `com.progetto.VEBS.model.entity.PoligonoAreaVerde`  
(although at least one Creator exists): no int/Int-argument constructor/factory method to deserialize  
from Number value (9)]; nested exception is com.fasterxml.jackson.databind.exc.MismatchedInputException:  
Cannot construct instance of `com.progetto.VEBS.model.entity.PoligonoAreaVerde` (although at least one Creator exists):  
no int/Int-argument constructor/factory method to deserialize  
from Number value (9)<EOL> at [Source: (org.springframework.util.StreamUtils$NonClosingInputStream); line: 1, column: 1117]  
(through reference chain: com.progetto.VEBS.model.dto.AreaVerdeDTO["poligono_area_verde"])]
```

I

Attiva Windows
Passa a Impostazioni per attivare
Windows.

Linea 5, colonna 21

100%

Windows (CRLF)

UTF-8



Scrivi qui il testo da cercare.



10:55
09/09/2025



eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/controller/AreaVerdeController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

apicalls.js DialogDataComponent.jsx AreaVerdeController.java X AreaVerdeService.java

```
53 httpstatus deleteRecord(@PathVariable Integer id_area) {
54     areaVerdeService.deleteAreaVerdeById(id_area);
55     return HttpStatus.OK;
56 }
57
58 @PatchMapping("/update")
59 HttpStatus updateRecord(@RequestBody AreaVerdeDTO area) {
60     areaVerdeService.updateAreaVerde(area);
61     return HttpStatus.OK;
62 }
63
64 @PatchMapping("/update/polareaverde_create")
65 HttpStatus updateRecordAndCreatePolAreaVerde(@RequestBody AreaVerdeDTO area) {
66     areaVerdeService.updateAreaVerdeAndCreatePolAreaVerde(area);
67     return HttpStatus.OK;
68 }
69
70 @GetMapping("/fieldstring")
71 Map<String, Object> getFormFields() {
72     return areaVerdeService.getFieldsAreaVerdi();
73 }
74
75 }
76
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:48:27) [pid 12345]

ata as data4_4_0, poligonoar0.densita_alberi as densita_5_4_0, poligonoar0.geometr:

ata as data4_4_0, poligonoar0.densita_alberi as densita_5_4_0, poligonoar0.geometr:

ata as data4_4_0, poligonoar0.densita_alberi as densita_5_4_0, poligonoar0.geometr:

http.converter.HttpMessageNotReadableException: JSON parse error: Cannot construct instance

Writable Smart Insert 66 : 34 : 2252

10:56 09/09/2025



eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

apicalls.js DialogDataComponent.jsx AreaVerdeController.java AreaVerdeService.java

```
78 public void updateAreaVerdeAndCreatePolAreaVerde(AreaVerdeDTO areaverdeDTO) throws Res^
79
80 // creo il record nella tabella dei poligoni aree verdi
81 PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();
82
83 WKTRReader reader = new WKTRReader();
84 Geometry geom;
85 try {
86     geom = reader.read(areaverdeDTO.getGeometria());
87     poligono_area_verde.setGeometria(geom);
88 } catch (ParseException e) {
89     e.printStackTrace();
90 }
91 poligono_area_verde.setComune(areaverdeDTO.getComune());
92 poligono_area_verde.setNome(areaverdeDTO.getNome());
93 poligono_area_verde.setDensita_alberi(areaverdeDTO.getDensita_alberi());
94 poligono_area_verde.setArea(areaverdeDTO.getArea());
95
96 poligonoAreaVerdeRepository.saveAndFlush(poligono_area_verde);
97
98 // aggiorni i campi dell'area verde
99 AreaVerde areaverde = new AreaVerde();
100
101 areaverde.setId(areaverdeDTO.getId());
```

Console Problems Progress Debug Shell Search Servers Debug

- AreaVerdeService.updateAreaVerdeAndCreatePolAreaVerde(AreaVerdeDTO) line: 96
- AreaVerdeController.updateRecordAndCreatePolAreaVerde(AreaVerdeDTO) line: 66
- 0x0000028f81298000.invokeVirtual(Object, Object, Object) line: not available
- 0x0000028f811d4000.invoke(Object, Object, Object) line: not available
- InvokersSHolder.invokeExact_MT(Object, Object, Object, Object) line: not available
- DirectMethodHandleAccessor.invokeImpl(Object, Object[]) line: 154
- DirectMethodHandleAccessor.invoke(Object, Object[]) line: 103

Writable Smart Insert 96 : 19 : 3503

Attiva Windows Passa a Impostazioni per attivare Windows.



Scrivi qui il testo da cercare.



11:00
09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Pr... X apicalls.js DialogDataComponent.jsx AreaVerdeController.java AreaVerdeService.java X

```
104     areaverde.setArea(areaverdeDTO.getArea());
105     areaverde.setComune(areaverdeDTO.getComune());
106     areaverde.setUbicazione(areaverdeDTO.getUbicazione());
107     areaverde.setPoligonoAreaVerde(poligono_area_verde);
108     try {
109         geom = reader.read(areaverdeDTO.getGeometria());
110         areaverde.setGeometria(geom);
111     } catch (ParseException e) {
112         e.printStackTrace();
113     }
114
115     areaVerdeRepository.saveAndFlush(areaverde);
116 }
117
118 public Map<String, Object> getFieldsAreeVerdi() {
119     Map<String, Object> fields = new HashMap();
120     for (Field field : AreaVerde.class.getDeclaredFields()) {
121         fields.put(field.getName(), null);
122     }
123     return fields;
124 }
125 }
126 }
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:52:41) [pid

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor^

Hibernate: insert into poligono_area_verde (area, comune, data, densita_alberi, geomet

Hibernate: select currval('poligono_area_verde_id_seq')

Attiva Windows
Passa a Impostazioni per attivare Windows



Scrivi qui il testo da cercare.



11:00
09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Pr... X apicalls.js DialogDataComponent.jsx *AreaVerdeController.java X AreaVerdeService.java X

VEBS/src/main/java/com/progetto/VEBS/controller/AreaVerdeController.java

```
76
77
78 public void updateAreaVerdeAndCreatePolAreaVerde(AreaVerdeDTO areaverdeDTO) throws Re:
79
80 // creo il record nella tabella dei poligoni aree verdi
81 PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();
82
83 WKTRReader reader = new WKTRReader();
84 Geometry geom;
85 try {
86     geom = reader.read(areaverdeDTO.getGeometria());
87     poligono_area_verde.setGeometria(geom);
88 } catch (ParseException e) {
89     e.printStackTrace();
90 }
91 poligono_area_verde.setComune(areaverdeDTO.getComune());
92 poligono_area_verde.setNome(areaverdeDTO.getNome());
93 poligono_area_verde.setDensita_alberi(areaverdeDTO.getDensita_alberi());
94 poligono_area_verde.setArea(areaverdeDTO.getArea());
95
96 poligonoAreaVerdeRepository.saveAndFlush(poligono_area_verde);
97
98 // aggiorni i campi dell'area verde
99 AreaVerde areaverde = new AreaVerde();
```

com ^
com
com
A
A
In
In
P
P
com
A
A
In
In
P
P
com
A
A
In
In
P
P
com
A
A
In
In
P
P

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:54:48) [pid

Hibernate: select areaverde0_.id as id1_1_0_, areaverde0_.area as area2_1_0_, areaverde0_.comune as comune3_1_0_ from area_verde areaverde0_ where areaverde0_.id=1

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.comune as comune3_4_0_ from poligono_area_verde poligonoar0_ where poligonoar0_.id=1

Hibernate: update area_verde set area=?, comune=?, data=?, densita_alberi=?, geometria=? where id=1

Writable Smart Insert 116 : 6 : 4218



Scrivi qui il testo da cercare.



11:02

09/09/2025



eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

apicalls.js DialogDataComponent.jsx *AreaVerdeController.java *AreaVerdeService.java

```
115  
116  
117  
118 public void updateAreaVerdeAndCreatePolAreaVerde(AreaVerdeDTO areaverdeDTO) throws Re:  
119  
120 // creo il record nella tabella dei poligoni aree verdi  
121 PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();  
122  
123 WKTReader reader = new WKTReader();  
124 Geometry geom;  
125 try {  
126     geom = reader.read(areaverdeDTO.getGeometria());  
127     poligono_area_verde.setGeometria(geom);  
128 } catch (ParseException e) {  
129     e.printStackTrace();  
130 }  
131 poligono_area_verde.setComune(areaverdeDTO.getComune());  
132 poligono_area_verde.setNome(areaverdeDTO.getNome());  
133 poligono_area_verde.setDensita_alberi(areaverdeDTO.getDensita_alberi());  
134 poligono_area_verde.setArea(areaverdeDTO.getArea());  
135  
136 poligonoAreaVerdeRepository.saveAndFlush(poligono_area_verde);  
137  
138 // aggiorni i campi dell'area verde
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:55:07) [pid
Hibernate: select areaverde0_.id as id1_1_0_, areaverde0_.area as area2_1_0_, areaverde0_.comune as comune3_1_0_, areaverde0_.nome as nome4_1_0_, areaverde0_.densita_alberi as densita_alberi5_1_0_, areaverde0_.area as area6_1_0_ from area_verde areaverde0_
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.comune as comune3_4_0_, poligonoar0_.nome as nome4_4_0_, poligonoar0_.densita_alberi as densita_alberi5_4_0_, poligonoar0_.area as area6_4_0_ from poligono_area_verde poligonoar0_
Hibernate: update area_verde set area=?, comune=?, data=?, densita_alberi=?, geometria=? where id=?

Writable Smart Insert 118 : 5 : 4224



Scrivi qui il testo da cercare.



11:03
09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/controller/AreaVerdeController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

apicalls.js DialogDataComponent.jsx *AreaVerdeController.java *AreaVerdeService.java

```
50
51
52 @DeleteMapping("/delete/{id_area}")
53 HttpStatus deleteRecord(@PathVariable Integer id_area) {
54     areaVerdeService.deleteAreaVerdeById(id_area);
55     return HttpStatus.OK;
56 }
57
58 @PatchMapping("/update")
59 HttpStatus updateRecord(@RequestBody AreaVerdeDTO area) {
60     areaVerdeService.updateAreaVerde(area);
61     return HttpStatus.OK;
62 }
63
64 @PatchMapping("/update/polareaverde_create")
65 HttpStatus updateRecordAndCreatePolAreaVerde(@RequestBody AreaVerdeDTO area) {
66     areaVerdeService.updateAreaVerdeAndCreatePolAreaVerde(area);
67     return HttpStatus.OK;
68 }
69
70 @PatchMapping("/update/polareaverde_update/{id}")
71 HttpStatus updateRecordAndCreatePolAreaVerde(@RequestBody AreaVerdeDTO area) {
72     areaVerdeService.updateAreaVerdeAndCreatePolAreaVerde(area);
73     return HttpStatus.OK;
74 }
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:55:52) [pid

Hibernate: select areaverde0_.id as id1_1_0_, areaverde0_.area as area2_1_0_, areaverde0_.data as data3_1_0_, areaverde0_.densita_alberi as densita4_1_0_, areaverde0_.geometria as geometria5_1_0_ from areaverde0_ where areaverde0_.id=?

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.data as data3_4_0_, poligonoar0_.densita_alberi as densita4_4_0_, poligonoar0_.geometria as geometria5_4_0_ from poligonoar0_ where poligonoar0_.id=?

Hibernate: update area_verde set area=?, comune=?, data=?, densita_alberi=?, geometria=? where id=?

Writable Smart Insert 70 : 50 : 2366



Scrivi qui il testo da cercare.



11:03
09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/controller/AreaVerdeController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

apicalls.js DialogDataComponent.jsx *AreaVerdeController.java *AreaVerdeService.java

```
59 httpStatus updateRecord(@RequestBody AreaVerdeDTO area) {
60     areaVerdeService.updateAreaVerde(area);
61     return HttpStatus.OK;
62 }
63
64 @PatchMapping("/update/polareaverde_create")
65 HttpStatus updateRecordAndCreatePolAreaVerde(@RequestBody AreaVerdeDTO area) {
66     areaVerdeService.updateAreaVerdeAndCreatePolAreaVerde(area);
67     return HttpStatus.OK;
68 }
69
70 @PatchMapping("/update/polareaverde_update/{id}")
71 HttpStatus updateRecordAndCreatePolAreaVerde(@RequestBody AreaVerdeDTO area, @PathVariable Long id) {
72     areaVerdeService.updateAreaVerdeAndUpdatePolAreaVerde(area, id);
73     return HttpStatus.OK;
74 }
75
76 @GetMapping("/fieldstring")
77 Map<String, Object> getFormFields() {
78     return areaVerdeService.getFieldsAreaVerdi();
79 }
80
81 }
82 }
```

com ^
com
com
A
A
In
In
P
P
com
A
A
In
In
P
P
com
A
A
In
In
P
P

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:56:58) [pid 12345]

Hibernate: select areaverde0_.id as id1_1_0_, areaverde0_.area as area2_1_0_, areaverde0_.data as data3_1_0_ from areaverde0_ where areaverde0_.id=?
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.data as data3_4_0_ from poligonoar0_ where poligonoar0_.id=?
Hibernate: update area_verde set area=?, comune=?, data=?, densita_alberi=?, geometria=? where id=?

The method updateAreaVerde... the type AreaVerdeService Writable Smart Insert 72 : 50 : 2531

Scrive qui il testo da cercare.

11:04 09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

apicalls.js DialogDataComponent.jsx *AreaVerdeController.java *AreaVerdeService.java

```
100
101     areaverde.setId(areaverdeDTO.getId());
102     areaverde.setNome(areaverdeDTO.getNome());
103     areaverde.setDensita_alberi(areaverdeDTO.getDensita_alberi());
104     areaverde.setArea(areaverdeDTO.getArea());
105     areaverde.setComune(areaverdeDTO.getComune());
106     areaverde.setUbicazione(areaverdeDTO.getUbicazione());
107     areaverde.setPoligonoAreaVerde(poligono_area_verde);
108     try {
109         geom = reader.read(areaverdeDTO.getGeometria());
110         areaverde.setGeometria(geom);
111     } catch (ParseException e) {
112         e.printStackTrace();
113     }
114
115     areaVerdeRepository.saveAndFlush(areaverde);
116 }
117
118 public void updateAreaVerdeAndCreatePolAreaVerde(AreaVerdeDTO areaverdeDTO) throws Res
119
120     // creo il record nella tabella dei poligoni aree verdi
121     PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();
122
123     WKTReader reader = new WKTReader();
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:57:12) [pid

Hibernate: select areaverde0_.id as idl_1_0_, areaverde0_.area as area2_1_0_, areaverde0_.comune as comune2_1_0_ from area_verde areaverde0_ where areaverde0_.id=?

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.comune as comune2_4_0_ from poligono_area_verde poligonoar0_ where poligonoar0_.id=?

Hibernate: update area_verde set area=?, comune=?, data=?, densita_alberi=?, geometria=? where id=?

Writable Smart Insert 161 : 31 : 5860



Scrivi qui il testo da cercare.



11:05

09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Pr... X apicalls.js DialogDataComponent.jsx *AreaVerdeController.java *AreaVerdeService.java X

```
124  
125  
126 public void updateAreaVerdeAndUpdatePolAreaVerde(AreaVerdeDTO area, Integer i) {  
127  
128 // faccio update del record nella tabella dei poligoni aree verdi  
129 PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();  
130  
131 WKTReader reader = new WKTReader();  
132 Geometry geom;  
133 try {  
134     geom = reader.read(areaaverdeDTO.getGeometria());  
135     poligono_area_verde.setGeometria(geom);  
136 } catch (ParseException e) {  
137     e.printStackTrace();  
138 }  
139 poligono_area_verde.setComune(areaaverdeDTO.getComune());  
140 poligono_area_verde.setComune(areaaverdeDTO.getComune());  
141 poligono_area_verde.setNome(areaaverdeDTO.getNome());  
142 poligono_area_verde.setDensita_alberi(areaaverdeDTO.getDensita_alberi());  
143 poligono_area_verde.setArea(areaaverdeDTO.getArea());  
144  
145 poligonoAreaVerdeRepository.saveAndFlush(poligono_area_verde);  
146  
147 // aggiorni i campi dell'area verde
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:58:34) [pid

Hibernate: select areaaverde0_.id as idl_1_0_, areaaverde0_.area as area2_1_0_, areaaverde0_.comune as comune2_1_0_, areaaverde0_.densita_alberi as densita_alberi2_1_0_, areaaverde0_.geometria as geometria2_1_0_ from areaaverde0_ where areaaverde0_.id=?
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.comune as comune2_4_0_, poligonoar0_.densita_alberi as densita_alberi2_4_0_, poligonoar0_.geometria as geometria2_4_0_ from poligonoar0_ where poligonoar0_.id=?
Hibernate: update area_verde set area=?, comune=?, data=?, densita_alberi=?, geometria=? where id=?

Writable Smart Insert 126 : 82 : 4519



Scrivi qui il testo da cercare.



11:06
09/09/2025



Pr... X apicalls.js DialogDataComponent.jsx AreaVerdeController.java *AreaVerdeService.java X

```
127
128 // faccio update del record nella tabella dei poligoni aree verdi
129 PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();
130
131 WKTRReader reader = new WKTRReader();
132 Geometry geom;
133 try {
134     geom = reader.read(areaverdeDTO.getGeometria());
135     poligono_area_verde.setGeometria(geom);
136 } catch (ParseException e) {
137     e.printStackTrace();
138 }
139 poligono_area_verde.setComune(areaverdeDTO.getComune());
140 poligono_area_verde.setComune(areaverdeDTO.getComune());
141 poligono_area_verde.setNome(areaverdeDTO.getNome());
142 poligono_area_verde.setDensita_alberi(areaverdeDTO.getDensita_alberi());
143 poligono_area_verde.setArea(areaverdeDTO.getArea());
144
145 poligonoAreaVerdeRepository.saveAndFlush(poligono_area_verde);
146
147 // aggiorni i campi dell'area verde
148 AreaVerde areaverde = new AreaVerde();
149
150 areaverde.setId(areaverdeDTO.getId());
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 10:07:55 elapsed: 0:58:59) [pid
Hibernate: select areaverde0_.id as id1_1_0_, areaverde0_.area as area2_1_0_, areaverde0_.comune as comune3_1_0_, areaverde0_.densita_alberi as densita_alberi4_1_0_, areaverde0_.geometria as geometria5_1_0_ from area_verde areaverde0_ where areaverde0_.id=?
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligonoar0_.comune as comune3_4_0_, poligonoar0_.densita_alberi as densita_alberi4_4_0_, poligonoar0_.geometria as geometria5_4_0_ from poligono_area_verde poligonoar0_ where poligonoar0_.id=?
Hibernate: update area_verde set area=?, comune=?, data=?, densita_alberi=?, geometria=? where id=?

Writable

Smart Insert

126 : 83 : 4520

Building: (90%)



Scrivi qui il testo da cercare.



11:06

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utills/apicalls.js - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Pr... X [Icons]

*apicalls.js X DialogDataComponent.jsx AreaVerdeController.java AreaVerdeService.java

```
17     headers: { 'Content-Type': 'application/json;charset=utf-8' },
18     body: JSON.stringify(data)
19   });
20 };
21
22 //API Rest per la gestione del salvataggio di modifiche delle geometrie selezionate
23 export function handleFormDataSubmit(data) {
24
25   if (data.controllo_poligono && data.poligono_area_verde) {
26     if(data.poligono_area_verde)
27       data.poligono_area_verde = null;
28     return fetch('http://localhost:8081/VEBS/' + data.tipo + '/update/polareaverde_crea', {
29       method: 'PATCH',
30       headers: { 'Content-Type': 'application/json;charset=utf-8' },
31       body: JSON.stringify(data)
32     });
33   } else {
34     return fetch('http://localhost:8081/VEBS/' + data.tipo + '/update', {
35       method: 'PATCH',
36       headers: { 'Content-Type': 'application/json;charset=utf-8' },
37       body: JSON.stringify(data)
38     });
39   }
40 }
```

com ^
com
com
A
A
In
In
P
P
com
A
A
In
In
P
P
com
A
A
In
In
P
P
com
A
A
In
In
P
P

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 11:07:29 elapsed: 0:01:07) [pid 17988]

```
2025-09-09 11:08:10.010 INFO 17988 --- [alina-utility-2] o.s.b.a.w.s.WelcomePageHandle
2025-09-09 11:08:11.018 INFO 17988 --- [alina-utility-2] com.progetto.VEBS.VebsApplica
2025-09-09 11:08:11.031 INFO 17988 --- [alina-utility-2] o.apache.catalina.core.Stand
```

Writable Insert 28:9 [215]



Scrivi qui il testo da cercare.



11:08
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/apicalls.js - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Pr... X

apicalls.js X DialogDataComponent.jsx AreaVerdeController.java AreaVerdeService.java

```
26 // data.poligono_area_verde;
27 data.poligono_area_verde = null;
28 return fetch('http://localhost:8081/VEBS/' + data.tipo + '/update/polareaverde_upd
29 method: 'PATCH',
30 headers: { 'Content-Type': 'application/json;charset=utf-8' },
31 body: JSON.stringify(data)
32 });
33 } else if (data.controllo_poligono) {
34 return fetch('http://localhost:8081/VEBS/' + data.tipo + '/update/polareaverde_crea
35 method: 'PATCH',
36 headers: { 'Content-Type': 'application/json;charset=utf-8' },
37 body: JSON.stringify(data)
38 });
39 } else {
40 return fetch('http://localhost:8081/VEBS/' + data.tipo + '/update', {
41 method: 'PATCH',
42 headers: { 'Content-Type': 'application/json;charset=utf-8' },
43 body: JSON.stringify(data)
44 });
45 }
46 }
47 };
48
49
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 11:07:29 elapsed: 0:02:58) [pid

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor^

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligor

Writable Insert 26:38:784 Building: (90%)



Scrivi qui il testo da cercare.



11:10

09/09/2025



Fetch x Proget x M Cross- x Proget x Getting x Proget x Combo x +

localhost:5173

DevTools is now available in Italian
Don't show again Always match Chrome's language Switch

Elements Console Sources >> 14

Page >> apicalls.js x >>

```
12
13 //API Rest per il salvataggio dati dei p
14 export function handleFormDataDrawPolygo
15     return fetch('http://localhost:8081/
16         method: 'POST',
17         headers: { 'Content-Type': 'appl
18         body: JSON.stringify(data)
19     });
20 };
21
22 //API Rest per la gestione del salavatag
23 export function handleFormDataSubmit(dat
24
25     if (data.controllo_poligono && data.
26         var id_poligono_area_verde = dat
27         if (data.poligono_area_verde)
28             data.poligono_area_verde = n
29             return fetch('http://localhost:8
30                 method: 'PATCH',
31                 headers: { 'Content-Type': '
32                 body: JSON.stringify(data)
33             });
34         } else if (data.controllo_poligono)
35             return fetch('http://localhost:8
36                 method: 'PATCH',
37                 headers: { 'Content-Type': '
38                 body: JSON.stringifyv(data)
```

Line 28, Column 3 (From apicalls.js?t=17574091286)

Scope Watch

OpenStreetMap contributors.

Scrive qui il testo da cercare.

11:12 09/09/2025

Amministratore: Prompt dei comandi

```
07/05/2025 16:44 <DIR> Music
07/05/2025 16:44 <DIR> Pictures
09/05/2025 11:38 123.966.506 postgis_3_5_pg17.exe
22/05/2025 16:55 <DIR> Postman
07/05/2025 16:44 <DIR> Saved Games
13/06/2025 15:18 <DIR> Searches
07/05/2025 16:44 <DIR> Videos
1 File 123.966.506 byte
22 Directory 41.337.016.320 byte disponibili

C:\Users\Administrator>cd eclipse-workspace

C:\Users\Administrator\eclipse-workspace>dir
Il volume nell'unità C non ha etichetta.
Numero di serie del volume: ECDD-436A

Directory di C:\Users\Administrator\eclipse-workspace
17/07/2025 09:48 <DIR> .
09/07/2025 12:53 <DIR> ..
04/09/2025 12:40 <DIR> .metadata
15/05/2025 14:46 <DIR> Progetto_VeBS
20/05/2025 15:06 <DIR> Servers
08/09/2025 10:29 <DIR> VEBS
0 File 0 byte
6 Directory 41.335.640.064 byte disponibili

C:\Users\Administrator\eclipse-workspace>cd VEBS

C:\Users\Administrator\eclipse-workspace\VEBS>mvn clean install
```

San Martino d'Ocre

Casentino

Villa Sant'Angelo

© OpenStreetMap contributors.

11:16 09/09/2025

Amministratore: Prompt dei comandi

```
07/05/2025 16:44 <DIR> Music
07/05/2025 16:44 <DIR> Pictures
09/05/2025 11:38 123.966.506 postgres_3_5_pg17.exe
22/05/2025 16:55 <DIR> Postman
```

Amministratore: Windows PowerShell

```
→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

10:32:18 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css
10:32:52 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x2)
10:33:06 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x3)
10:34:44 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x4)
10:41:00 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x5)
10:41:28 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x6)
10:43:07 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x7)
10:51:46 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x8)
10:52:05 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x9)
10:52:40 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x10)
10:53:06 [vite] (client) hmr update /src/components/DialogDataComponent.jsx, /src/index.css (x11)
10:58:41 [vite] (client) hmr update /src/components/MapComponent.jsx, /src/index.css, /src/components/DialogDataComponent.jsx
11:10:23 [vite] (client) hmr update /src/components/MapComponent.jsx, /src/index.css, /src/components/DialogDataComponent.jsx (x2)
11:10:24 [vite] (client) hmr invalidate /src/components/MapComponent.jsx Could not Fast Refresh ("setModalDataOpen" export is incompatible). Learn more at https://github.com/vitejs/vite-plugin-react/tree/main/packages/plugin-react#consistent-components-exports
11:10:24 [vite] (client) page reload src/components/MapComponent.jsx (circular import invalidate)
11:12:08 [vite] (client) hmr update /src/components/MapComponent.jsx, /src/index.css, /src/components/DialogDataComponent.jsx
```

Casentino
San Martino d'Ocre
Villa Sant'Angelo
Rip...
© OpenStreetMap contributors.

Scrivi qui il testo da cercare.

11:16
09/09/2025

Amministratore: Prompt dei comandi

```
07/05/2025 16:44 <DIR> Music
07/05/2025 16:44 <DIR> Pictures
09/05/2025 11:38 123.966.506 postgis_3_5_pg17.exe
22/05/2025 16:55 <DIR> Postman
07/05/2025 16:44 <DIR> Saved Games
13/06/2025 15:18 <DIR> Searches
07/05/2025 16:44 <DIR> Videos
1 File 123.966.506 byte
22 Directory 41.337.016.320 byte disponibili

C:\Users\Administrator>cd eclipse-workspace

C:\Users\Administrator\eclipse-workspace>dir
Il volume nell'unità C non ha etichetta.
Numero di serie del volume: ECDD-436A

Directory di C:\Users\Administrator\eclipse-workspace
17/07/2025 09:48 <DIR> .
09/07/2025 12:53 <DIR> ..
04/09/2025 12:40 <DIR> .metadata
15/05/2025 14:46 <DIR> Progetto_VeBS
20/05/2025 15:06 <DIR> Servers
08/09/2025 10:29 <DIR> VEBS
0 File 0 byte
6 Directory 41.335.640.064 byte disponibili

C:\Users\Administrator\eclipse-workspace>cd VEBS

C:\Users\Administrator\eclipse-workspace\VEBS>mvn clean install
```

Collimonto San Felice d'Ocre Fossa Sant'Eusanio Forconese San Demetrio ne' Vestini Casentino Villa Sant'Angelo

© OpenStreetMap contributors.

Scrivi qui il testo da cercare.

11:17 09/09/2025

GoTo Meeting x Training On The Job x +

app.goto.com/meeting/398790149

GoTo Meeting | Ginve | GinveWeb | TestWeb | GeoServer | Hydros | Training On The Job | ginve.futurasistemi...

Tutti 5 2

Stai condividendo il tuo schermo

AS

P

C

FP



AS

Aula Corsi Futura Sistemi

P

piero

C

Costantino

FP

Francesca Palomba



Registraz...



Reagisci



Microfono



Fotocamera



Condividi



Strumenti



Abbandona



Sottotitoli



Apri nuo...



Cerca



11:18
09/09/2025

Browser window showing a map of the L'Aquila region in Italy. The address bar displays `localhost:8081/VEBS/`. The map features various towns and landmarks, including L'Aquila, Gignano, Bazzano, and San Gregorio. A red dot is visible near L'Aquila, and a purple airplane icon is located near San Gregorio. The map is overlaid with a network of red and orange lines, likely representing roads or data connections. The bottom of the screen shows the Windows taskbar with the search bar and several application icons.

© OpenStreetMap contributors.

localhost:5173

Dettaglio

Nome	Area Archeologica di Forcona
Densità alberi	0
Ubicazione	prova34
Area	26388.832272371237 m ²
Comune	L'Aquila
Fonte dati	OpenStreetMap

DevTools is now available in Italian

Don't show again Always match Chrome's language Switch

Elements Console

16 Issues: 2 14 5 hidden

operations using `getImageData` are faster with the `willReadFrequently` attribute set to `true`. See: <https://html.spec.whatwg.org/multipage/canvas.html#conc...>

Access to fetch at 'http://localhost:8081/VEBS/areaverde/update/polareaverd...' from origin 'http://localhost:5173' has been blocked by CORS policy: Response to preflight request doesn't pass access control check: No 'Access-Control-Allow-Origin' header is present on the requested resource.

PATCH [apicalls.js:29](#)

http://localhost:8081/VEBS/areaverde/update/polareaverd... net::ERR_FAILED

Uncaught (in promise) [apicalls.js:29](#)

TypeError: Failed to fetch

at `handleFormDataSubmit` ([apicalls.js:29:10](#))

at `onSubmit` ([MapComponent.jsx:151:25](#))

at `handleSubmit` ([DialogDataComponent.jsx:140:3](#))

at `executeDispatch` ([react-dom-client.development.js:16368:9](#))

at `runWithFiberInDEV` ([react-dom-client.development.js:1519:30](#))

at `processDispatchQueue` ([react-dom-client.development.js:16418:19](#))

at [react-dom-client.development.js:17016:9](#)

at `batchedUpdates$1` ([react-dom-client.development.js:3262:40](#))

at `dispatchEventForPluginEventSystem` ([react-dom-client.development.js:16572:7](#))


at `dispatchEvent` ([react-dom-client.development.js:20658:11](#))

Passa a Impostazioni per attivare Windows.

© OpenStreetMap contributors.

Scrivi qui il testo da cercare.

11:29 09/09/2025





localhost:5173

DevTools is now available in Italian
Don't show again Always match Chrome's language Switch

Elements Console

15 Issues: 1 14 4 hidden

▶ Canvas2D: Multiple readback operations using getImageData are faster with the willReadFrequently attribute set to true. See: <https://html.spec.whatwg.org/multipage/canvas.html#concept-> [ExecutorGroup.js:265](#)

▶ PATCH http://localhost:8081/VEBS/areaverde/update/polareaverde_ [apicalls.js:29](#)
500 (Internal Server Error)

+

-

Dettaglio

Nome	Area Archeologica di Forcona
Densità alberi	0
Ubicazione	prova34
Area	26388.832272371237 m ²
Comune	L'Aquila
Fonte dati	OpenStreetMap

OpenStreetMap contributors.

Attiva Windows
Passa a Impostazioni per attivare Windows.

Scrive qui il testo da cercare.

11:32
09/09/2025

Browser tabs: Fetc... x, Prog... x, M Cros... x, Prog... x, Gett... x, Com... x, Prog... x, Prog... x, +

Address bar: localhost:5173

Map: OpenStreetMap contributors. Shows Italy and surrounding regions (Slovenija, Hrvatska, Bosnia i Hercegovina, etc.).

DevTools is now available in Italian

Buttons: Don't show again, Always match Chrome's language, Switch

DevTools tabs: Elements, Console, Sources

Console: 14 Issues: 14, 2 hidden

Windows notification: Attiva Windows. Passa a Impostazioni per attivare Windows.

Taskbar: Windows logo, Search bar (Scrivi qui il testo da cercare.), Taskbar icons (Edge, Chrome, File Explorer, etc.), System tray (11:34, 09/09/2025)

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/AreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

apicalls.js DialogDataComponent.jsx AreaVerdeController.java AreaVerdeService.java

```
127
128 // faccio update del record nella tabella dei poligoni aree verdi
129 PoligonoAreaVerde poligono_area_verde = new PoligonoAreaVerde();
130
131 WKTRReader reader = new WKTRReader();
132 Geometry geom;
133 try {
134     geom = reader.read(areaverdeDTO.getGeometria());
135     poligono_area_verde.setGeometria(geom);
136 } catch (ParseException e) {
137     e.printStackTrace();
138 }
139 poligono_area_verde.setId(id);
140
141
```

poligono_area_verde= PoligonoAreaVerde (id=131)

- area= null
- comune= null
- data= null
- densita_alberi= null

com.progetto.VEBS.model.entity.PoligonoAreaVerde@5c39f7c2

DirectMethodHandleAccessor.invokeImpl(Object, Object[]) line: 155

DirectMethodHandleAccessor.invoke(Object, Object[]) line: 103

Method.invoke(Object, Object...) line: 580

ServletInvocableHandlerMethod(InvocableHandlerMethod).doInvoke(Object...) line: 205

ServletInvocableHandlerMethod(InvocableHandlerMethod).invokeForRequest(NativeWebRequest, ModelAndViewCont

ServletInvocableHandlerMethod.invokeAndHandle(ServletWebRequest, ModelAndViewContainer, Object...) line: 117

RequestMappingHandlerAdapter.invokeHandlerMethod(HttpServletRequest, HttpServletResponse, HandlerMethod) lin

RequestMappingHandlerAdapter.handleInternal(HttpServletRequest, HttpServletResponse, HandlerMethod) line: 808

RequestMappingHandlerAdapter(AbstractHandlerMethodAdapter).handle(HttpServletRequest, HttpServletResponse, O

Writable Smart Insert 140 : 1 : 4935



Scrivi qui il testo da cercare.



11:34

09/09/2025



eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/service/PoligonoAreaVerdeService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

apicalls.js DialogDataCompon... AreaVerdeController... AreaVerdeService.ja... PoligonoAreaVerde...

```
40         .orElse(null);
41     }
42
43     public void savePoligono(PoligonoAreaVerdeDTO poligono_area_verde) {
44         poligonoAreaVerdeRepository.save(mapper.toEntity(poligono_area_verde));
45     }
46
47     public void deletePoligonoAreaVerdeById(Integer id) throws ResourceNotFoundException {
48         poligonoAreaVerdeRepository.findById(id).orElseThrow(() -> new ResourceNotFoundException());
49         poligonoAreaVerdeRepository.deleteById(id);
50     }
51
52     public void updatePoligonoAreaVerde(PoligonoAreaVerdeDTO poligono_area_verde_dto) throws ResourceNotFoundException {
53         PoligonoAreaVerde poligono = poligonoAreaVerdeRepository.findById(poligono_area_verde_dto.getId()).orElseThrow(() -> new ResourceNotFoundException());
54         poligonoAreaVerdeRepository.save(mapper.toEntity(poligono_area_verde_dto));
55     }
56 }
```

Console Problems Progress Debug Shell Search Servers Debug X

Thread [http-nio-8081-exec-7] (Suspended (breakpoint at line 44 in PoligonoAreaVerdeService))

- PoligonoAreaVerdeService.savePoligono(PoligonoAreaVerdeDTO) line: 44
- PoligonoAreaVerdeController.saveRecord(PoligonoAreaVerdeDTO) line: 47
- 0x000001f9bd2a8000.invokeVirtual(Object, Object, Object) line: not available
- 0x000001f9bd1d4000.invoke(Object, Object, Object) line: not available
- Invokers\$Holder.invokeExact_MT(Object, Object, Object, Object) line: not available
- DirectMethodHandleAccessor.invokeImpl(Object, Object[]) line: 154
- DirectMethodHandleAccessor.invoke(Object, Object[]) line: 103
- Method.invoke(Object, Object...) line: 580
- ServletInvocableHandlerMethod(InvocableHandlerMethod).doInvoke(Object...) line: 205
- ServletInvocableHandlerMethod(InvocableHandlerMethod).invokeForRequest(NativeWebRequest, ModelAndViewContainer) line: 194
- ServletInvocableHandlerMethod.invokeAndHandle(ServletWebRequest, ModelAndViewContainer, Object...) line: 117
- RequestMappingHandlerAdapter.invokeHandlerMethod(HttpServletRequest, HttpServletResponse, HandlerMethod) line: 888
- RequestMappingHandlerAdapter.handleInternal(HttpServletRequest, HttpServletResponse, HandlerMethod) line: 808
- RequestMappingHandlerAdapter(AbstractHandlerMethodAdapter).handle(HttpServletRequest, HttpServletResponse, Object) line: 792

Na... Value

Poli...

Poli...



Scrivi qui il testo da cercare.



11:38

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utls/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataCorr
 - DialogDrawPoly
 - Map.css
 - MapComponer
 - utls
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.j
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js

*DialogDrawPolygonComponent.jsx

DialogDataComponent.jsx

*modals.jsx

```
429         </DialogClose>
430         <Button type="button" onClick={handleSubmit}>Salva</Bu
431         </DialogFooter>
432         </DialogContent>
433         </form>
434       </Dialog>
435     );
436   };
437
438   export const formDisegnoPoligonoAreaVerde = {open, onClose, handleSubmit, form
439   return (
440     <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
441       <form>
442         <DialogContent className="sm:max-w-[425px]">
443           <DialogHeader>
444             <DialogTitle>Inserisci i dettagli del poligono</Dialog
445             <DialogDescription>
446               Compila i campi e salva per associare i dati al po
447             </DialogDescription>
448           </DialogHeader>
449           <div className="grid gap-7 py-4">
450             <div className="flex flex-col gap-2">
451               <Label htmlFor="nome" className="text-xl font-medi
452               <Input id="nome" name="nome" value={formDrawPolygc
453             </div>
454             <div className="flex flex-col gap-2">
455               <Label htmlFor="densita_alberi" className="text-xl
456               <Input id="densita_alberi" name="densita_alberi" v
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 11:33:28 elaps

Writable Insert 439: 1 [274]



Scrive qui il testo da cercare.



11:51

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utls/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataCorr
 - DialogDrawPoly
 - Map.css
 - MapComponer
 - utils
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.j
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPolygonComponent.jsx DialogDataComponent.jsx *modals.jsx

```
428 <Button type="button" variant="outline">Annulla</Button>
429 </DialogClose>
430 <Button type="button" onClick={handleSubmit}>Salva</Button>
431 </DialogFooter>
432 </DialogContent>
433 </form>
434 </Dialog>
435 );
436 };
437
438 export const formDisegnoPoligonoAreaVerde = (open, onClose, handleSubmit, form
439 return (
440 <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
441 <form>
442 <DialogContent className="sm:max-w-[425px]">
443 <DialogHeader>
444 <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>
445 <DialogDescription>
446 Compila i campi e salva per associare i dati al po
447 </DialogDescription>
448 </DialogHeader>
449 <div className="grid gap-7 py-4">
450 <div className="flex flex-col gap-2">
451 <Label htmlFor="nome" className="text-xl font-medium">Nome</Label>
452 <Input id="nome" name="nome" value={formDrawPolygo
453 </div>
454 <div className="flex flex-col gap-2">
455 <Label htmlFor="densita_alberi" className="text-xl font-medium">Densità alberi</Label>
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 11:33:28 elapsed)

Writable Insert 440 : 9 [2635]



Scrivi qui il testo da cercare.



11:55

09/09/2025

1

eclipse-workspace - VEBS/src/main/frontend/src/utls/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataCorr
 - DialogDrawPoly
 - Map.css
 - MapComponer
 - utils
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.j
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPolygonComponent.jsx DialogDataComponent.jsx modals.jsx

```
488     </PopoverContent>
489   </Popover>
490 </div>
491 </div>
492 <DialogFooter>
493   <DialogClose asChild>
494     <Button type="button" variant="outline">Annulla</Button>
495   </DialogClose>
496   <Button type="button" onClick={handleSubmit}>Salva</Button>
497 </DialogFooter>
498 </DialogContent>
499 </form>
500 </Dialog>
501 );
502 }
503
504 export const formDisegnoPoligonoAreaBlu = (open, onClose, handleSubmit, formDr
505   return (
506     <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
507       <form>
508         <DialogContent className="sm:max-w-[425px]">
509           <DialogHeader>
510             <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>
511             <DialogDescription>
512               Compila i campi e salva per associare i dati a
513             </DialogDescription>
514           </DialogHeader>
515           <div className="grid gap-7 py-4">
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 11:33:28 elapsed)

Writable Insert 519: 35: 20967



Scrivi qui il testo da cercare.



11:56
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utls/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataCorr
 - DialogDrawPoly
 - Map.css
 - MapComponer
 - utils
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.j
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPolygonComponent.jsx DialogDataComponent.jsx modals.jsx

```
420      })
421      />
422      </PopoverContent>
423      </Popover>
424    </div>
425  </div>
426  <DialogFooter>
427    <DialogClose asChild>
428      <Button type="button" variant="outline">Annulla</Button>
429    </DialogClose>
430    <Button type="button" onClick={handleSubmit}>Salva</Button>
431  </DialogFooter>
432 </DialogContent>
433 </form>
434 </Dialog>
435 );
436 };
437
438 export const formDisegnoPoligonoAreaVerde = (open, onClose, handleSubmit, form)
439   return (
440     <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
441       <form>
442         <DialogContent className="sm:max-w-[425px]">
443           <DialogHeader>
444             <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>
445             <DialogDescription>
446               Compila i campi e salva per associare i dati al poligono
447             </DialogDescription>
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 11:33:28 elapsed)

Writable Insert 434: 19 [5474]



Scrivi qui il testo da cercare.



11:56
09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataCorr
 - DialogDrawPoly
 - Map.css
 - MapComponer
 - utills
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.j
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPolygonComponent.jsx DialogDataComponent.jsx *modals.jsx

```
553 </div>
554 <DialogFooter>
555   <DialogClose asChild>
556     <Button type="button" variant="outline">Annulla</Button>
557   </DialogClose>
558   <Button type="button" onClick={handleSubmit}>Salva</Button>
559 </DialogFooter>
560 </DialogContent>
561 </form>
562 </Dialog>
563 );
564 }
565
566 export const formDisegnoPuntoIngresso = (open, onClose, handleSubmit, formDraw)
567   return (
568     <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
569       <form>
570         <DialogContent className="sm:maxw[425px]">
571           <DialogHeader>
572             <DialogTitle>Inserisci i dettagli dell'ingresso</DialogTitle>
573             <DialogDescription>
574               Compila i campi e salva per associare i dati al punto
575             </DialogDescription>
576           </DialogHeader>
577           <div className="grid gap7 py4">
578             <div className="flex flexcol gap2">
579               <Label htmlFor="id" className="textxl fontmedium">ID</Label>
580               <Input disabled id="id" name="id" value={formData.id} />
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 11:33:28 elapsed)

Writable Insert 715 : 7 : 28405



Scrivi qui il testo da cercare.



11:56

09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utls/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

apicalls.js DialogDrawPolygonComponent.jsx DialogDataComponent.jsx *modals.jsx

```
565
566 export const formDisegnoPuntoIngresso = (open, onClose, handleSubmit, formDrawGeometryData, h
567   return (
568     <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
569       <form>
570         <DialogContent className="sm:maxw[425px]">
571           <DialogHeader>
572             <DialogTitle>Inserisci i dettagli dell'ingresso</DialogTitle>
573             <DialogDescription>
574               Compila i campi e salva per associare i dati al punto.
575             </DialogDescription>
576           </DialogHeader>
577           <div className="grid gap7 py4">|
578             <div className="flex flex-col gap2">
579               <Label htmlFor="nome" className="textxl fontmedium textgray700">N
580               <Input id="nome" name="nome" value={formDrawGeometryData.nome ||
581             </div>
582             <div className="flex flex-col gap2">
583               <Label htmlFor="area_blu" className="textxl fontmedium textgray70
584               <Popover open={openComboAreaBlu} onOpenChange={setOpenComboAreaBl
585                 <PopoverTrigger asChild>
586                   <Button
587                     variant="outline"
588                     role="combobox"
589                     aria-expanded={openComboAreaBlu}
590                     className="w[500px] justifybetween"
591                   >
592                     {valueAreaBlu
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 11:33:28 elapsed: 0:23:54) [pid: 178

Writable Insert 577 : 52 : 23333



Scrivi qui il testo da cercare.



11:57
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utls/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

apicalls.jsx DialogDrawPolygonComponent.jsx DialogDataComponent.jsx *modals.jsx

```
550         </PopoverContent>
551     </Popover>
552 </div>
553 </div>
554 <DialogFooter>
555     <DialogClose asChild>
556         <Button type="button" variant="outline">Annulla</Button>
557     </DialogClose>
558     <Button type="button" onClick={handleSubmit}>Salva</Button>
559 </DialogFooter>
560 </DialogContent>
561 </form>
562 </Dialog>
563
564
565
566 const formDisegnoPuntoIngresso = (open, onClose, handleSubmit, formDrawGeometryData, handleCha
567 rn (
568 <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
569     <form>
570         <DialogContent className="sm:maxw[425px]">
571             <DialogHeader>
572                 <DialogTitle>Inserisci i dettagli dell'ingresso</DialogTitle>
573                 <DialogDescription>
574                     Compila i campi e salva per associare i dati al punto.
575                 </DialogDescription>
576             </DialogHeader>
577             <div className="grid gap7 py4">
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 11:33:28 elapsed: 0:24:10) [pid: 178]

Writable Insert 577 : 52 : 23333



Scrivi qui il testo da cercare.



11:57
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X apicalls.js DialogDrawPolygonC... DialogDataCompone... modals.jsx X IngressoController.j...

```
322<PopoverContent className="w[500px] p0">
323  <Command>
324    <CommandInput placeholder="Cerca area blu..." className="h9" />
325    <CommandList>
326      <CommandEmpty>Nessuna area blu trovata.</CommandEmpty>
327      <CommandGroup>
328        {areeBlu.map((areaBlu) => (
329          <CommandItem
330            key={areaBlu.id}
331            value={areaBlu.id}
332            onSelect={(currentValue) => {
333              setValueAreaBlu(currentValue === valueAreaBlu ? "" : c
334              setOpenComboAreaBlu(false)
335            }}
336          >
337            {areaBlu.nome}
338            <Check
339              className={cn(
340                "mlauto",
341                valueAreaBlu === areaBlu.id ? "opacity100" : "opac
342              )}
343            />
344          </CommandItem>
345        )}
346      </CommandGroup>
347    </CommandList>
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:12:15)

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli

Writable Insert 438 : 245 [18]



Scrivi qui il testo da cercare.



14:04

09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project... X apicalls.js DialogDrawPolygonC... DialogDataCompone... modals.jsx X IngressoController.j...

frontend
 compr
 ui
 dist
 hooks
 lib
 node_1
 public
 resour
 src
 assi
 cor
 util

```
434     </Dialog>
435   };
436 };
437
438 export const formDisegnoPoligonoAreaVerde = (open, onClose, handleSubmit, formDrawGeome
439   return (
440     <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
441       <form>
442         <DialogContent className="sm:max-w-[425px]">
443           <DialogHeader>
444             <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>
445             <DialogDescription>
446               Compila i campi e salva per associare i dati al poligono.
447             </DialogDescription>
448           </DialogHeader>
449           <div className="grid gap-7 py-4">
450             <div className="flex flex-col gap-2">
451               <Label htmlFor="nome" className="text-xl font-medium text-c
452               <Input id="nome" name="nome" value={formDrawGeometryData.no
453             </div>
454             <div className="flex flex-col gap-2">
455               <Label htmlFor="densita_alberi" className="text-xl font-mec
456               <Input id="densita_alberi" name="densita_alberi" value={for
457             </div>
458             <div className="flex flex-col gap-2">
459               <Label htmlFor="area" className="text-xl font-medium text-c
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:13:12)

Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, poli

Writable Insert 447:45:17720

Scrive qui il testo da cercare.



14:05
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utlis/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

apicalls.js DialogDrawPolygonCom... DialogDataComponentj... modals.jsx X IngressoController.java

```
434
435
436
437
438 isegnoPoligonoAreaVerde = {open, onClose, handleSubmit, formDrawGeometryData, handleChange,
439
440 en={open} onOpenChange={onClose} onSubmit={handleSubmit}>
441
442 dialogContent className="sm:max-w-[425px]">
443   <DialogHeader>
444     <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>
445     <DialogDescription>
446       Compila i campi e salva per associare i dati al poligono.
447     </DialogDescription>
448   </DialogHeader>
449   <div className="grid gap-7 py-4">
450     <div className="flex flex-col gap-2">
451       <Label htmlFor="nome" className="text-xl font-medium text-gray-700">Nome</Label>
452       <Input id="nome" name="nome" value={formDrawGeometryData.nome} onChange={handleCh
453     </div>
454     <div className="flex flex-col gap-2">
455       <Label htmlFor="densita_alberi" className="text-xl font-medium text-gray-700">Den:
456       <Input id="densita_alberi" name="densita_alberi" value={formDrawGeometryData.dens:
457     </div>
458     <div className="flex flex-col gap-2">
459       <Label htmlFor="area" className="text-xl font-medium text-gray-700">Area</Label>
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:13:34) [pid: 6

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligono

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, poligono

Writable Insert 447:45:17720

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

apicalls.js *DialogDrawPolygonCo... DialogDataComponent... "modals.jsx X IngressoController.java

```
425         </div>
426         <DialogFooter>
427             <DialogClose asChild>
428                 <Button type="button" variant="outline">Annulla</Button>
429             </DialogClose>
430             <Button type="button" onClick={handleSubmit}>Salva</Button>
431         </DialogFooter>
432     </DialogContent>
433 </form>
434 </Dialog>
435 );
436 };
437
438 export const formDisegnoPoligonoAreaVerde = (open, onClose, handleSubmit, formDrawGeometryDr
439     return (
440         <Dialog
441             <
442             <
443             <
444             <
445             <
446                 Compila i campi e salva per associare i dati al poligono.
447             </DialogDescription>
448         </DialogHeader>
449         <div className="grid gap-7 py-4">
450             <
```

const formDisegnoPoligonoAreaVerde: (open: any, onClose: any, handleSubmit: any, formDr

Press 'F2' for focus

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:18:17) [pid: 6

2025-09-09 14:10:55.197 INFO 6924 --- [alina-utility-1] com.zaxxer.hikari.HikariDataSou

Writable Insert 450 : 25 : 17790



Scrivi qui il testo da cercare.



14:10

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

apicalls.js *DialogDrawPolygonCo... DialogDataComponent... *modals.jsx X IngressoController.java

```
432         </DialogContent>
433     </form>
434 </Dialog>
435 );
436 };
437
438 export const formDisegnoPoligono = (open, onClose, handleSubmit, formDrawGeometryData, hand:
439     return (
440         <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
441             <form>
442                 <DialogContent className="sm:max-w-[425px]">
443                     <DialogHeader>
444                         <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>
445                         <DialogDescription>
446                             Compila i campi e salva per associare i dati al poligono.
447                         </DialogDescription>
448                     </DialogHeader>
449                     <div className="grid gap-7 py-4">
450
451                         <div className="flex flex-col gap-2">
452                             <Label htmlFor="nome" className="text-xl font-medium text-gray-
453                             <Input id="nome" name="nome" value={formDrawGeometryData.nome}
454                         </div>
455                         <div className="flex flex-col gap-2">
456                             <Label htmlFor="densita_alberi" className="text-xl font-medium
457                             <Input id="densita alberi" name="densita alberi" value={formDra
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:19:11) [pid: 6

2025-09-09 14:11:13.220 INFO 6924 --- [alina-utility-1] o.apache.catalina.core.Standard

Writable Insert 653 : 1 : 25581



Scrivi qui il testo da cercare.



14:11
09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utls/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

apicalls.js *DialogDrawPolygonCo... DialogDataComponent.jsx modals.jsx X IngressoController.java

```
344         </CommandItem>
345     )))
346     </CommandGroup>
347     </CommandList>
348     </Command>
349     </PopoverContent>
350 </Popover>
351
352 </div>
353 <div className="flex flex-col gap2">
354     <Label htmlFor="area_blu" className="textxl fontmedium textgray">
355 <Popover open={openComboAreaVerde} onOpenChange={setOpenComboAr
356     <PopoverTrigger asChild>
357         <Button
358             variant="outline"
359             role="combobox"
360             aria-expanded={openComboAreaVerde}
361             className="w[500px] justifybetween">
362
363             {valueAreaVerde
364                 ? areeVerdi.find((areaVerde) => areaVerde.nome
365                 : "Seleziona area verde..."}
366             <ChevronsUpDown className="opacity50" />
367         </Button>
368     </PopoverTrigger>
369     <PopoverContent className="w[500px] p0">
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:20:02) [pid: 6
2025-09-09 14:12:26.332 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.Standard

Writable Insert 353 : 1 [1691]



Scrivi qui il testo da cercare.



14:12

09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

apicalls.js *DialogDrawPolygonCo... DialogDataComponent.jsx modals.jsx X IngressoController.java

```
436 };;
437
438 export const formDisegnoPoligono = (open, onClose, handleSubmit, formDrawGeometryData, hand:
439   return (
440     <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
441       <form>
442         <DialogContent className="sm:max-w-[425px]">
443           <DialogHeader>
444             <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>
445             <DialogDescription>
446               Compila i campi e salva per associare i dati al poligono.
447             </DialogDescription>
448           </DialogHeader>
449           <div className="grid gap-7 py-4">
450
451             <div className="flex flex-col gap-2">
452               <Label htmlFor="nome" className="text-xl font-medium text-gray-
453               <Input id="nome" name="nome" value={formDrawGeometryData.nome}
454             </div>
455             <div className="flex flex-col gap-2">
456               <Label htmlFor="densita_alberi" className="text-xl font-medium
457               <Input id="densita_alberi" name="densita_alberi" value={formDraw
458             </div>
459             <div className="flex flex-col gap-2">
460               <Label htmlFor="area" className="text-xl font-medium text-gray-
461               <Input id="area" name="area" value={formatArea(formDrawGeometryData)
462             </div>
463           </div>
464         </DialogContent>
465       </form>
466     </Dialog>
467   );
468 }
```

Console X Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:20:17) [pid: 6
2025-09-09 14:12:26.332 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.Standard

Writable Insert 438 : 165 [13]



Scrivi qui il testo da cercare.



14:12
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDataComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf

apicalls.js DialogDrawPolygo... *modals.jsx IngressoControlle... DialogDataCompo...

```
40 );
41
42 const [openDatePicker, setOpenDatePicker] = useState(true);
43
44 const [openComboAreaBlu, setOpenComboAreaBlu] = useState(false);
45 const [openComboAreaVerde, setOpenComboAreaVerde] = useState(false);
46
47 const [valueAreaBlu, setValueAreaBlu] = useState("");
48 const [valueAreaVerde, setValueAreaVerde] = useState("");
49
50 const [areeBlu, setAreeBlu] = useState([]);
51 const [areeVerdi, setAreeVerdi] = useState([]);
52
53 var [area, setArea] = useState();
54 const [areaButton, setAreaButton] = useState(true);
55
56 const [poligonoChecked, setPoligonoChecked] = useState(false);
57
58 useEffect(() => {
59
60     var featureData;
61
62     // Controllo l'esistenza e inizializzo i campi
63     if (feature && !(feature.type === 'drawend')) {
64         /*if (feature.feature)
65             featureData = feature.feature.values ;
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:28
2025-09-09 14:18:37.711 INFO 6924 --- [alina-utility-1] o.apache.catalina.core.

Writable Insert 43 : 1 [256]



Scrivi qui il testo da cercare.



14:18

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utills
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf

apicalls.js DialogDrawPolygo... *modals.jsx X IngressoControlle... DialogDataCompo...

```
436 };  
437  
438 export const formDisegnoPoligono = (open, onClose, handleSubmit, formDrawGeometryDe  
439 return (  
440 <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>  
441 <form>  
442 <DialogContent className="sm:max-w-[425px]">  
443 <DialogHeader>  
444 <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>  
445 <DialogDescription>  
446 Compila i campi e salva per associare i dati al poligon  
447 </DialogDescription>  
448 </DialogHeader>  
449 <div className="grid gap-7 py-4">  
450 <div className="flex flex-col gap2">  
451 <Label htmlFor="area_blu" className="textxl fontmedium  
452 <Popover open={openComboAreaBlu} onOpenChange={setOpen  
453 <PopoverTrigger asChild>  
454 <Button  
455 variant="outline"  
456 role="combobox"  
457 aria-expanded={openComboAreaBlu}  
458 className="w[500px] justifybetween"  
459 >  
460 {valueAreaBlu  
461 ? areeBlu.find((areaBlu) => areaBlu.nor
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:28
2025-09-09 14:18:37.711 INFO 6924 --- [alina-utility-1] o.apache.catalina.core.

Writable Insert 438 : 33 [19]

Scrive qui il testo da cercare.



14:18
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDataComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - DialogDataComponent.jsx
 - DialogDataComponent.css
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popu
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js

```
97      setAreaButton(true);
98    }
99
100    // Inizializzo la geometria
101    var geometria;
102    var format = new WKT();
103    geometria = format.writeGeometry(featureData.geometry);
104    featureData = { ...featureData, geometria: geometria };
105  }
106
107  setFormData(prev => ({ ...prev, ...featureData }));
108
109  // funzione per la fetch delle geometrie delle aree blu e verdi
110  async function fetchDataAree() {
111    try {
112      const areeBluResp = await getAllAreeBlu();
113      const areeBluJson = await areeBluResp.json();
114      const areeVerdiResp = await getAllAreeVerdi();
115      const areeVerdiJson = await areeVerdiResp.json();
116
117      setAreeBlu(areeBluJson || []);
118      setAreeVerdi(areeVerdiJson || []);
119    } catch (err) {
120      console.error("Errore nel fetch dei dati delle aree:", err);
121    }
122  }
```

DialogDrawPolygo... *modals.jsx IngressoControlle... DialogDataCompo...

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:28)

2025-09-09 14:18:37.711 INFO 6924 --- [alina-utility-1] o.apache.catalina.core.

Writable Insert 153 : 171 [275] Building: (90%)

Scrive qui il testo da cercare.

14:20 09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDataComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - DialogDataComponent.jsx
 - DialogDataComponent.css
 - Map.css
 - MapComponent.jsx
 - utils
 - apicalls.js
 - feature.js
 - map.js
 - modals.js
 - Popup.js

apicalls.js

```
105 }
106
107 setFormData(prev => ({ ...prev, ...featureData }));
108
109 // funzione per la fetch delle geometrie delle aree blu e verdi
110 async function fetchDataAree() {
111   try {
112     const areeBluResp = await getAllAreeBlu();
113     const areeBluJson = await areeBluResp.json();
114     const areeVerdiResp = await getAllAreeVerdi();
115     const areeVerdiJson = await areeVerdiResp.json();
116
117     setAreeBlu(areeBluJson || []);
118     setAreeVerdi(areeVerdiJson || []);
119   } catch (err) {
120     console.error("Errore nel fetch dei dati delle aree:", err);
121   }
122 }
123
124 fetchDataAree();
125
126 }, [feature]);
127
128 const handleChange = e => {
129   const { name, value } = e.target;
130   setFormData(prev => ({ ...prev, [name]: value }));
```

DialogDataComponent.jsx

```
105 }
106
107 setFormData(prev => ({ ...prev, ...featureData }));
108
109 // funzione per la fetch delle geometrie delle aree blu e verdi
110 async function fetchDataAree() {
111   try {
112     const areeBluResp = await getAllAreeBlu();
113     const areeBluJson = await areeBluResp.json();
114     const areeVerdiResp = await getAllAreeVerdi();
115     const areeVerdiJson = await areeVerdiResp.json();
116
117     setAreeBlu(areeBluJson || []);
118     setAreeVerdi(areeVerdiJson || []);
119   } catch (err) {
120     console.error("Errore nel fetch dei dati delle aree:", err);
121   }
122 }
123
124 fetchDataAree();
125
126 }, [feature]);
127
128 const handleChange = e => {
129   const { name, value } = e.target;
130   setFormData(prev => ({ ...prev, [name]: value }));
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:28)

2025-09-09 14:20:27.988 INFO 6924 --- [alina-utility-2] com.zaxxer.hikari.Hikari

Writable Insert 124: 25 [512]



Scrivi qui il testo da cercare.



14:20
09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx

apicalls.js

```
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
```

```
    area = getArea(feature.feature.getGeometry());
    if (geometria)
        tipoGeometria = "Punto"
    else
        tipoGeometria = "Poligono"
}
const comune = "";
const data = new Date();
setFormDrawGeometryData(prev => ({ ...prev, nome, densita_alberi, geometria, tipoGeometria, data }));
}

// funzione per la fetch delle geometrie delle aree blu e verdi
async function fetchDataAree() {
    try {
        const areeBluResp = await getAllAreeBlu();
        const areeBluJson = await areeBluResp.json();
        const areeVerdiResp = await getAllAreeVerdi();
        const areeVerdiJson = await areeVerdiResp.json();

        setAreeBlu(areeBluJson || []);
        setAreeVerdi(areeVerdiJson || []);
    } catch (err) {
        console.error("Errore nel fetch dei dati delle aree:", err);
    }
}
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:28)

2025-09-09 14:20:39.743 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.

Writable Insert 97:25:2845



Scrivi qui il testo da cercare.



14:20
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPolygo... *modals.jsx IngressoControlle... DialogDataCompo...

```
105 const handleChange = e => {
106   const { name, value } = e.target;
107   setFormDrawGeometryData(prev => ({ ...prev, [name]: value }));
108 };
109
110 const handleSubmit = async () => {
111
112   const payload = {
113     ...formDrawGeometryData,
114     data: date.toISOString().split("T")[0],
115   };
116
117   onSubmit(payload);
118   onClose();
119 };
120
121 if (tipoGeometria === "Poligono")
122   return (formDisegnoPoligono(open, onClose, handleSubmit, formDrawGeometryData));
123 else
124   return (formDisegnoPunto(open, onClose, handleSubmit, formDrawGeometryData,
125     areeVerdi, valueAreaBlu, setValueAreaBlu, openComboAreaBlu, setOpenComboAreaBlu));
126 }
127
128 export default DialogDrawPolygonComponent;
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:28)

2025-09-09 14:20:39.743 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.

Writable Insert 30 : 18 : 824 Building: (90%)



Scrivi qui il testo da cercare.



14:21
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utills
 - apicalls
 - feature.
 - map.js
 - modals
 - PopuPf

modals.jsx

```
549 );
550 }
551
552 export const formDisegnoPunto = {open, onClose, handleSubmit, formData, handleChange,
553   areeVerdi, valueAreaBlu, setValueAreaBlu, openComboAreaBlu, setOpenComboAreaBlu
554   return (
555     <Dialog open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
556       <form>
557         <DialogContent className="sm:maxw[425px]">
558           <DialogHeader>
559
560           (alias) function DialogHeader({ className, ...props }: {
561             [x: string]: any;
562             className: any;
563           }): React.JSX.Element
564           import DialogHeader
565
566
567         </div>
568         <div className="flex flex-col gap2">
569           <Label htmlFor="area_blu" className="textxl fontmedium
570           <Popover open={openComboAreaBlu} onOpenChange={setOpenC
571           <PopoverTrigger asChild>
572             <Button
573               variant="outline"
574
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:28
2025-09-09 14:21:53.083 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.

Writable Insert 553 : 163 : 22024 Building: (90%)



Scrivi qui il testo da cercare.



14:22
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utills
 - apicalls
 - feature.
 - map.js
 - modals
 - PopuPf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPolygo... "modals.jsx" IngressoControlle... DialogDataCompo...

```
440 onOpenChange={onClose} onSubmit={handleSubmit}>
441
442 content className="sm:max-w-[425px]">
443 dialogHeader>
444   <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>
445   <DialogDescription>
446     Compila i campi e salva per associare i dati al poligono.
447   </DialogDescription>
448   dialogHeader>
449   className="grid gap-7 py-4">
450   <div className="flex flex-col gap2">
451     <Label htmlFor="area_blu" className="textxl fontmedium textgray700">Area blu</
452     <Popover open={openComboTipoGeometria} onOpenChange={setOpenComboTipoGeometria
453       <PopoverTrigger asChild>
454         <Button
455           variant="outline"
456           role="combobox"
457           aria-expanded={openComboTipoGeometria}
458           className="w[500px] justifybetween"
459         >
460           {valueAreaBlu
461             ? areeBlu.find((areaBlu) => areaBlu.nome === valueAreaBlu)?.no
462             : "Seleziona area blu..."}
463           <ChevronsUpDown className="opacity50" />
464         </Button>
465       </PopoverTrigger>
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:...

2025-09-09 14:22:41.332 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.

Writable Insert 452 : 136 : 18026



Scrivi qui il testo da cercare.



14:23
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - DialogL
 - DialogL
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf

apicalls.js DialogDrawPolygo... "modals.jsx" IngressoControlle... DialogDataCompo...

```
458     className="w[500px] justifybetween"
459   >
460     {valueTipoGeometria
461       ? tipiInserimentoGeometria.find((tipo) => tipo.nome === valueTipoG
462       : "Seleziona tipo geometria...")
463     <ChevransUpDown className="opacity50" />
464   </Button>
465 </PopoverTrigger>
466 <PopoverContent className="w[500px] p0">
467   <Command>
468     <CommandInput placeholder="Cerca tipo..." className="h9" />
469   <CommandList>
470     <CommandEmpty>Nessuna area blu trovata.</CommandEmpty>
471   <CommandGroup>
472     (tipiInserimentoGeometria.map((tipo) => (
473       <CommandItem
474         key={tipo.id}
475         value={tipo.id}
476         onSelect={() => {
477           setValueTipoGeometria(currentValue === valueAreaBl
478           setOpenComboAreaBlu(false)
479         })
480       >
481         {areaBlu.nome}
482       <Check
483         className={cn(
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:...

2025-09-09 14:28:02.527 INFO 6924 --- [alina-utility-1] o.apache.catalina.core.

Writable Insert 476 : 86 : 18981



Scrivi qui il testo da cercare.



14:29
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPolygo... modals.jsx IngressoController... DialogDataCompo...

```
109 const handleChange = e => {
110   const { name, value } = e.target;
111   setFormDrawGeometryData(prev => ({ ...prev, [name]: value }));
112 };
113
114 const handleSubmit = async () => {
115
116   const payload = {
117     ...formDrawGeometryData,
118     data: date.toISOString().split("T")[0],
119   };
120
121   onSubmit(payload);
122   onClose();
123 };
124
125 if (tipoGeometria === "Poligono")
126   return (formDisegnoPoligono(open, onClose, handleSubmit, formDrawGeometryData));
127 else
128   return (formDisegnoPunto(open, onClose, handleSubmit, formDrawGeometryData,
129     areeVerdi, valueAreaBlu, setValueAreaBlu, openComboAreaBlu, setOpenComboAreaBlu));
130 }
131
132 export default DialogDrawPolygonComponent;
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:48)

2025-09-09 14:36:19.514 INFO 6924 --- [alina-utility-2] com.zaxxer.hikari.Hikari

Writable Insert 38 : 1 : 1027



Scrivi qui il testo da cercare.



14:36

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js

DialogDrawPolygo...

modals.jsx

IngressoController...

DialogDataCompo...

```
61
62 const [valueAreaBlu, setValueAreaBlu] = useState("");
63 const [valueAreaVerde, setValueAreaVerde] = useState("");
64
65 const [areeBlu, setAreeBlu] = useState([]);
66 const [areeVerdi, setAreeVerdi] = useState([]);
67
68 useEffect(() => {
69
70     if (feature) {
71         const nome = "";
72         const densita_alberi = 0;
73         var format = new WKT();
74
75         var geometria;
76         var area;
77         if (feature.feature) {
78             geometria = format.writeGeometry(feature.feature.getGeometry());
79             area = getArea(feature.feature.getGeometry());
80             if (geometria)
81                 tipoGeometria = "Punto"
82             else
83                 tipoGeometria = "Poligono"
84         }
85     }
86     const comune = "";
```

Console

Problems

Progress

Debug Shell

Search

Servers

Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:4

2025-09-09 14:36:24.184 INFO 6924 --- [alina-utility-2] com.progetto.VEBS.VebsA ^

2025-09-09 14:36:25.536 INFO 6924 --- [alina-utility-2] .s.d.r.c.RepositoryConf

Writable

Insert

38 : 1 : 1027



Scrivi qui il testo da cercare.



14:36
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popu
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js

```
38
39 // Inizializzo la variabile per la scelta tipologia geometria
40 let tipiInserimentoGeometria = new Map([
41   ['id', "areablu"],
42   ['nome', "Area blu"],
43   ['id', "polareaverde"],
44   ['nome', "Poligono area verde" ]
45 ]);
46
47 const [formDrawGeometryData, setFormDrawGeometryData] = useState({
48   mapFields
49 });
50
51 const [date, setDate] = useState(
52   new Date()
53 );
54
55 const [openDatePicker, setOpenDatePicker] = useState(true);
56
57 const [openComboTipoGeometria, setOpenComboTipoGeometria] = useState(false);
58 const [valueTipoGeometria, setValueTipoGeometria] = useState("");
59
60
61 const [openComboAreaBlu, setOpenComboAreaBlu] = useState(false);
62 const [openComboAreaVerde, setOpenComboAreaVerde] = useState(false);
63
```

DialogDrawPolygo... | modals.jsx | IngressoController... | DialogDataCompo...

Console | Problems | Progress | Debug Shell | Search | Servers | Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:48)

Hibernate: select areablu0_.id as id1_0_, areablu0_.data as data2_0_, areablu0_.

Writable | Insert | 37 : 22 : 982



Scrivi qui il testo da cercare.



14:39

09/09/2025



Map e x | Cross-C x | Getting x | Combo x | Proget x | GeoSer x | OpenL x | +

localhost:5173

Paused in debugger

2.598,471 km²

OpenStreetMap contributors.

Elements Console Sources >> 14

Page >> apicalls.js DialogDrawPolygonComponent.jsx >>

```
68 const [areeVerdi, setAreeVerdi] = useSt
69
70 useEffect(() => {
71
72   if (feature) {
73     const nome = ""; nome = ""
74     const densita_alberi = 0; den
75     var format = new WKT(); forma
76
77     var geometria; geometria = "P
78     var area; area = 2598471394.5
79     if (feature.feature) {
80       geometria = format.writeGec
81       area = getArea(feature.fe
82       if (feature.feature.values_
83         tipoGeometria = "Poligo
84     else
85       tipoGeometria = "Punto"
86
87   }
88   const comune = "";
89   const data = new Date();
90   setFormDrawGeometryData(prev =>
91 }
92
93 // funzione per la fetch delle geon
94 async function fetchDataAree() {
95   try {
96     const areeBluResp = await
97     const areeBluJson = await
98     const areeVerdiResp = await
99   }
100 }
```

Line 85, Column 6 (From DialogDrawPolygonComponent.jsx)

Scope Watch

14:42 09/09/2025

Map e x | Cross-C x | Getting x | Combo x | Proget x | GeoSei x | OpenL x | +

localhost:5173

Paused in debugger

2.598,471 km²

OpenStreetMap contributors.

Elements Console Sources >> 14

Page >> >>

_Polygon

- on: f onInternal(type, listener)
- once: f onceInternal(type, listener)
- orientedFlatCoordinates_: (14) [155335, ...]
- orientedRevision_: 172
- pendingRemovals_: {}
- revision_: 214
- simplifiedGeometryMaxMinSquaredTolerance: 100
- simplifiedGeometryRevision: 212
- simplifyTransformedInternal: f ()
- stride: 2
- un: f unInternal(type, listener)
- values_: null
- [[Prototype]]: SimpleGeometry

```
82 if (feature.values_.geometry === "_Polygon")
83   geometria = "Poligono";
84
85   geometria = "Punto";
86
87
88   "";
89   new Date();
90   metryData(prev => ({ ...prev, nome, densita_
91
92
93   fetch delle geometrie delle aree blu e verd
94   :hDataAree() {
95
96   bluResp = await getAllAreeBlu();
97   bluJson = await areeBluResp.json();
98   verdiResp = await getAllAreeVerdi();
99   verdiJson = await areeVerdiResp.json();
100
101   Passa a Impostazioni per attivare
```

Line 85, Column 6, (From DialogDrawPolygonComponent.jsx)

Scope Watch

14:42 09/09/2025

Map e x | M Cross-C x | Getting x | Combo x | Proget x | GeoSei x | OpenL x | +

localhost:5173

Paused in debugger

2.598,471 km²

Object

- geometry: **_Polygon**
- dispatching: **_Polygon**
- disposed: false
- ends_: [14]
- eventTarget_: undefined
- extentRevision_: 214
- extent_: (4) [1553358.8876308156, 501]
- flatCoordinates: (14) [1553358.8876308156, 501]
- flatInteriorPointRevision_: -1
- flatInteriorPoint_: null
- layout: "XY"
- listeners_: {change: Array(1)}
- maxDeltaRevision_: -1

```
82 if (feature.values_.geometry === "_Polygon")
83   geometria = "Poligono";
84
85   geometria = "Punto";
86
87   "";
88
89   new Date();
90   metryData(prev => ({ ...prev, nome, densita_
91
92
93   fetch delle geometrie delle aree blu e verd
94   fetchDataAree() {
95
96   bluResp = await getAllAreeBlu();
97   bluJson = await areeBluResp.json();
98   verdiResp = await getAllAreeVerdi();
99   verdiJson = await areeVerdiResp.json();
100
101   Passa a Impostazioni per attivare
```

Line 85, Column 6 (From DialogDrawPolygonComponent.jsx)

OpenStreetMap contributors.


Scrive qui il testo da cercare.

14:43 09/09/2025

Map e x | Cross-C x | Getting x | Combo x | Proget x | GeoSei x | OpenL x | +

localhost:5173

Paused in debugger



2,598,471 km²

OpenStreetMap contributors.

Elements Console Sources >> 14

Page >> apicalls.js DialogDrawPolygonComponent.jsx >>

```
68 eeVerdi] = useState([]);
69
70
71
72
73 '; nome = ""
74 alberi = 0; densita_alberi = 0
75 w WKT(); format = WKT {dataProjection: unc
76
77 geometria = "POLYGON((1553358.8876308156 :
78 a = 2598471394.5444655
79 ture) {
80 = format.writeGeometry(feature.feature.getGe
81 \area(feature.feature.getGeometry()); area =
82 e.feature.values_.geometry === "_Polygon")
83 ometria = "Poligono";
84
85 ometria = "Punto";
86
87
88 "";
89 w Date();
90 metryData(prev => ({ ...prev, nome, densita_
91
92
93 fetch delle geometrie delle aree blu e verd
94 :hDataAree() {
95
96 3luResp = await getAllAreeBlu();
97 3luJson = await areeBluResp.json();
98 Jandirach = await getAllAreeVerdi();
99
100
```

8 characters selected (From DialogDrawPolygonComponent

Scope Watch

14:43 09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js

*DialogDrawPolyg...

modals.jsx

IngressoController...

DialogDataCompo...

```
67 const [areeBlu, setAreeBlu] = useState([]);
68 const [areeVerdi, setAreeVerdi] = useState([]);
69
70 useEffect(() => {
71
72     if (feature) {
73         const nome = "";
74         const densita_alberi = 0;
75         var format = new WKT();
76
77         var geometria;
78         var area;
79         if (feature.feature) {
80             geometria = format.writeGeometry(feature.feature.getGeometry());
81             area = getArea(feature.feature.getGeometry());
82             if (feature.feature.values_.geometry.getType() === "POLYGON")) {
83                 tipoGeometria = "Poligono";
84             }
85             else {
86                 tipoGeometria = "Punto";
87             }
88         }
89         const comune = "";
90         const data = new Date();
91         setFormDrawGeometryData(prev => ({ ...prev, nome, densita_alberi, geom
```

Console

Problems

Progress

Debug Shell

Search

Servers

Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:5

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_,

Writable

Insert

82 : 67 : 2291



Scrivi qui il testo da cercare.



14:48
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPolygo... modals.jsx IngressoController... DialogDataCompo...

```
112 const handleChange = e => {
113   const { name, value } = e.target;
114   setFormDrawGeometryData(prev => ({ ...prev, [name]: value }));
115 };
116
117 const handleSubmit = async () => {
118
119   const payload = {
120     ...formDrawGeometryData,
121     data: date.toISOString().split("T")[0],
122   };
123
124   onSubmit(payload);
125   onClose();
126 };
127
128 if (tipoGeometria === "Poligono")
129   return (formDisegnoPoligono(open, onClose, handleSubmit, formDrawGeometryData));
130 else
131   return (formDisegnoPunto(open, onClose, handleSubmit, formDrawGeometryData,
132     areeVerdi, valueAreaBlu, setValueAreaBlu, openComboAreaBlu, setOpenComboAreaBlu));
133 }
134
135 export default DialogDrawPolygonComponent;
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:58)

2025-09-09 14:50:51.579 INFO 6924 --- [alina-utility-1] org.hibernate.dialect.D

Writable Insert 82 : 21 : 2245



Scrivi qui il testo da cercare.



14:50
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js

*DialogDrawPolyg...

modals.jsx

IngressoController...

DialogDataCompo...

```
70 useEffect(() => {
71
72   if (feature) {
73     const nome =
74     const densita_alberi = 0;
75     var format = new WKT();
76
77     var geometria;
78     var area;
79     if (feature.feature) {
80       geometria = format.writeGeometry(feature.feature.getGeometry());
81       area = getArea(feature.feature.getGeometry());
82       var tipo = feature.feature.values_.geometry.getType();
83       if (tipo === "Polygon")
84         tipoGeometria = "Poligono";
85     else
86       (local var) tipoGeometria = "Poligono";
87
88   }
89   const co
90   const da
91   setFormDrawGeometryData(prev => ({ ...prev, nome, densita_alberi, geome
92 }
93
94 // funzione per la fetch delle geometrie delle aree blu e verdi
95 async function fetchDataAree() {
```

tipoGeometria

Replace (! for history)

Press 'F2' for focus

Console

Problems

Progress

Debug Shell

Search

Servers

Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 1:5

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_,

Writable

Insert

37:27:987



Scrivi qui il testo da cercare.



14:52
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

DialogDrawPolygo...

```
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
```

```
const nome =
const densita
var format =
tipoGeometria

Replace (! for history)

var geometria;
var area;
if (feature.feature) {
  geometria = format.writeGeometry(feature.feature.getGeometry());
  area = getArea(feature.feature.getGeometry());
  var tipo = feature.feature.values_.geometry.getType();
  if (tipo === "Polygon")
    tipoGeometria = "Poligono";
  else
    tipoGeometria = "Punto";
}
const comune = "";
const data = new Date();
setFormDrawGeometryData(prev => ({ ...prev, nome, densita_alberi, geome

// funzione per la fetch delle geometrie delle aree blu e verdi
async function fetchDataAree() {
  try {
    const areeBluResp = await getAllAreeBlu();
    const areeBluJson = await areeBluResp.json();
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:08)

2025-09-09 14:52:52.378 INFO 6924 --- [alina-utility-1] com.zaxxer.hikari.Hikar

Writable Insert 37:27:987



Scrivi qui il testo da cercare.



14:52
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js

*DialogDrawPolyg...

modals.jsx

IngressoController...

DialogDataCompo...

tipoGeometria

Replace (! for history)

```
59
60
61 const [openComboAreaF
62 const [openComboArea\
63
64 const [valueAreaBlu, setValueAreaBlu] = useState("");
65 const [valueAreaVerde, setValueAreaVerde] = useState("");
66
67 const [areeBlu, setAreeBlu] = useState([]);
68 const [areeVerdi, setAreeVerdi] = useState([]);
69
70 useEffect(() => {
71
72     if (feature) {
73         const nome = "";
74         const densita_alberi = 0;
75         var format = new WKT();
76
77         var geometria;
78         var area;
79         if (feature.feature) {
80             geometria = format.writeGeometry(feature.feature.getGeometry());
81             area = getArea(feature.feature.getGeometry());
82
83
84 }
```

Console

Problems

Progress

Debug Shell

Search

Servers

Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:0

2025-09-09 14:53:05.168 INFO 6924 --- [alina-utility-1] o.apache.catalina.core.

Passa a Impostazioni per attivare Windows.

Writable

Insert

37:43 [16]




Scrivi qui il testo da cercare.



14:54
09/09/2025

Paused in debugger



3.660,978 km²

Elements Console Sources

Page >> apicalls.js DialogDrawPolygonComponent.jsx

```
108 fetchDataArea();
109 }, [feature]); feature = DrawEvent (t
110
111
112 const handleChange = e => { handleChange
113   const { name, value } = e.target;
114   setFormDrawGeometryData(prev => ({
115   });
116
117   const handleSubmit = async () => { hai
118
119   const payload = {
120     ...formDrawGeometryData, formI
121     data: date.toISOString().split(
122   );
123
124   onSubmit(payload); onSubmit = (da
125   onClose(); onClose = () => setDia
126   };
127
128   if (tipoGeometria === "Poligono")
129     return (formDisegnoPoligono(open, c
130   else
131     return (formDisegnoPunto(open, onCl
132     areeVerdi, valueAreaBlu, setVal
133   }
134
135   export default DialogDrawPolygonComponent;
136
```

Line 128, Column 2 (From DialogDrawPolygonComponent.js)

Attiva Windows

Passa a Impostazioni per attivare

Scope Watch

Console AI assistance Search What's new

OpenStreetMap contributors.

Scrive qui il testo da cercare.

14:55 09/09/2025

Map e x | Cross-C x | Getting x | Combo x | Proget x | GeoSer x | OpenL x | +

localhost:5173

Paused in debugger

3.660,978 km²

OpenStreetMap contributors.

Elements Console Sources

Page >> apicalls.js DialogDrawPolygonComponent.jsx

```
84      setTipoGeometria("Polig
85      else
86      setTipoGeometria("Punte
87
88    }
89    const comune = "";
90    const data = new Date();
91    setFormDrawGeometryData(prev =>
92  )
93
94  // funzione per la fetch delle geon
95  async function fetchDataAree() {
96    try {
97      const areeBluResp = await
98      const areeBluJson = await
99      const areeVerdiResp = await
100     const areeVerdiJson = await
101
102     setAreeBlu(areeBluJson ||
103     setAreeVerdi(areeVerdiJson
104   } catch (err) {
105     console.error("Errore nel f
106   }
107
108
109   fetchDataAree();
110 }, [feature]); feature = DrawEvent {t
111
112 const handleChange = e => { handleChai
```

Line 128, Column 2 (From DialogDrawPolygonComponent.js

Attiva Windows

Passa a impostazioni per attivare

Scope Watch

Console AI assistance Search What's new

14:55 09/09/2025

Map e x | Cross-C x | Getting x | Combo x | Proget x | GeoSer x | OpenL x | +

localhost:5173

Paused in debugger

3.660,978 km²

OpenStreetMap contributors.

Elements Console Sources 14

Page >> apicalls.js DialogDrawPolygonComponent.jsx >>

```
67 ist [areeBlu, setAreeBlu] = useState([]);
68 ist [areeVerdi, setAreeVerdi] = useState([])
69
70 <Effect>() => {
71
72   if (feature) { feature = DrawEvent {type:
73     const nome = "";
74     const densita_alberi = 0;
75     var format = new WKT();
76
77     var geometria;
78     var area;
79     if (feature.feature) { feature = Draw
80       geometria = format.writeGeometry(f
81       area = getArea(feature.feature.get
82       var tipo = feature.feature.values_
83       if (tipo === "Polygon")
84         setTipoGeometria("Poligono");
85     else
86       setTipoGeometria("Punto"); se
87
88   }
89   const comune = "";
90   const data = new Date();
91   setFormDrawGeometryData(prev => ({ ...
92 }
93
94 // funzione per la fetch delle geometrie d
```

Line 128, Column 2 (From DialogDrawPolygonComponent.js

Attiva Windows

Passa a Impostazioni per attivare

Scope Watch

Console AI assistance Search What's new x >>

14:56 09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - DialogC
 - DialogC
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js

DialogDrawPolygo...

modals.jsx

IngressoController...

DialogDataCompo...

```
1126 const handleChange =
113   const { name, val
114   setFormDrawGeomet
115 };
116
117 const handleSubmit = async () => {
118
119   const payload = {
120     ...formDrawGeometryData,
121     data: date.toISOString().split("T")[0],
122   };
123
124   onSubmit(payload);
125   onClose();
126 };
127
128 if (tipoGeometria === "Poligono")
129   return (formDisegnoPoligono(open, onClose, handleSubmit, formDrawGeometryData,
130 else
131   return (formDisegnoPunto(open, onClose, handleSubmit, formDrawGeometryData,
132     areeVerdi, valueAreaBlu, setValueAreaBlu, openComboAreaBlu, setOpenComb
133 )
134
135 export default DialogDrawPolygonComponent;
```

Console

Problems

Progress

Debug Shell

Search

Servers

Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:08)

2025-09-09 14:56:14.174 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.

Writable

Insert

37:59:1019



Scrivi qui il testo da cercare.



14:56

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - DialogC
 - DialogC
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf

apicalls.js DialogDrawPolygo... modals.jsx IngressoController... DialogDataCompo...

```
70 useEffect(() => {
71
72     if (feature) {
73         const nome =
74         const densita_alberi = 0;
75         var format = new WKT();
76
77         var geometria;
78         var area;
79         if (feature.feature) {
80             geometria = format.writeGeometry(feature.feature.getGeometry());
81             area = getArea(feature.feature.getGeometry());
82             var tipo = feature.feature.values_.geometry.getType();
83             if (tipo === "Polygon")
84                 setTipoGeometria("Poligono");
85             else
86                 setTipoGeometria("Punto");
87         }
88
89         const comune = "";
90         const data = new Date();
91         setFormDrawGeometryData(prev => ({ ...prev, nome, densita_alberi, geom
92     }
93
94     // funzione per la fetch delle geometrie delle aree blu e verdi
95     async function fetchDataAree() {
```

tipoGeometria

Replace (! for history)

Name Value

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:08)

2025-09-09 14:56:14.174 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.

Passa a Impostazioni per attivare Windows.

Writable Insert 37:59:1019



Scrivi qui il testo da cercare.



14:56
09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDataComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - DialogDataComponent.jsx
 - DialogDataComponent.css
 - Map.css
 - MapComponent.jsx
 - utils
 - apicalls.js
 - feature.js
 - map.js
 - modals.js
 - Popup.js
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js

```
92 if (featureData.area) {
93   setArea(featureData.area);
94   setAreaButton(false);
95 } else {
96   setArea(null);
97   setAreaButton(true);
98 }
99
100 // Inizializzo la geometria
101 var geometria;
102 var format = new WKT();
103 geometria = format.writeGeometry(featureData.geometry);
104 featureData = { ...featureData, geometria: geometria };
105 }
106
107 setFormData(prev => ({ ...prev, ...featureData }));
108
109 // funzione per la fetch delle geometrie delle aree blu e verdi
110 async function fetchDataAree() {
111   try {
112     const areeBluResp = await getAllAreeBlu();
113     const areeBluJson = await areeBluResp.json();
114     const areeVerdiResp = await getAllAreeVerdi();
115     const areeVerdiJson = await areeVerdiResp.json();
116
117     setAreeBlu(areeBluJson || []);
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:08)

2025-09-09 14:56:14.174 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.

Writable Insert 103 : 68 [60]



Scrivi qui il testo da cercare.



14:56

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx

apicalls.js

*DialogDrawPolyg...

modals.jsx

IngressoController...

DialogDataCompo...

```
74 if (feature) {
75   const nome =
76   const densita
77   var format =
78
79   var geometria;
80   var area;
81   if (feature.feature) {
82     geometria = format.writeGeometry(feature.feature.getGeometry());
83     area = getArea(feature.feature.getGeometry());
84     var tipo = feature.feature.values_.geometry.getType();
85     if (tipo === "Polygon")
86       featureData = { ...featureData, tipo: "Poligono" };
87     else
88       featureData = { ...featureData, tipo: "Punto" };
89   }
90   const com
91   const dat
92   setFormDrawGeometryData(prev => ({ ...prev, nome, densita_alberi, geome
93 }
94
95 // funzione per la fetch delle geometrie delle aree blu e verdi
96 async function fetchDataAree() {
97   try {
98     const areeBluResp = await getAllAreeBlu();
99
```

tipoGeometria

Replace (! for history)

'featureData' is assigned but never used. Disable no-unused-vars. Press 'F2' for focus

Console

Problems

Progress

Debug Shell

Search

Servers

Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:08)

2025-09-09 14:56:14.174 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.

Attiva windows

Passa a Impostazioni per attivare Windows.

Writable

Insert

71 : 1 : 1991



Scrivi qui il testo da cercare.



14:58
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js

*DialogDrawPolyg...

modals.jsx

IngressoController...

DialogDataCompo...

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

```
featureData =  
featureData =  
  
var format = new WKT();  
var geometria;  
var area;  
if (feature.feature) {  
    geometria = format.writeGeometry(feature.feature.getGeometry());  
    featureData = { ...featureData, geometria: geometria };  
  
    area = getArea(feature.feature.getGeometry());  
    featureData = { ...featureData, area: area };  
  
    var tipo = feature.feature.values .geometry.getType();  
    if (tipo === "Polygon")  
        featureData = { ...featureData, tipo: "Poligono" };  
    else  
        featureData = { ...featureData, tipo: "Punto" };  
}  
featureData = { ...featureData, comune: "" };  
featureData = { ...featureData, data: new Date() };  
  
setFormDrawGeometryData(prev => ({ ...prev, featureData}));  
}
```

tipoGeometria

Replace (! for history)

Name Value

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:08)

2025-09-09 15:01:36.477 INFO 6924 --- [alina-utility-1] o.apache.catalina.core.

Passa a Impostazioni per attivare Windows.

Writable Insert 92 : 17 [60]



Scrivi qui il testo da cercare.



15:02
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js

*DialogDrawPolyg...

modals.jsx

IngressoController...

DialogDataCompo...

```
44     else
45         tipoGeometria
46     }
47
48     // Inizializzo la variabile per la scelta tipologia geometria
49     let tipiInserimentoGeometria = [
50         "Area blu", "Poligono area verde";
51
52     const [formDrawGeometryData, setFormDrawGeometryData] = useState({
53         mapFields
54     });
55
56     const [date, setDate] = useState(
57         new Date()
58     );
59
60     const [openDatePicker, setOpenDatePicker] = useState(true);
61
62     const [openComboTipoGeometria, setOpenComboTipoGeometria] = useState(false);
63     const [valueTipoGeometria, setValueTipoGeometria] = useState("");
64
65
66     const [openComboAreaBlu, setOpenComboAreaBlu] = useState(false);
67     const [openComboAreaVerde, setOpenComboAreaVerde] = useState(false);
68
69     const [valueAreaBlu, setValueAreaBlu] = useState("");
```

Console

Problems

Progress

Debug Shell

Search

Servers

Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:1

2025-09-09 15:06:17.059 INFO 6924 --- [alina-utility-2] o.apache.catalina.core.

Windows

Writable

Insert

50 : 41 : 1302



Scrivi qui il testo da cercare.



15:06
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utills
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPolygo... modals.jsx X IngressoController... DialogDataCompo...

```
436
437
438 formDisegnoPoligono = (open, onClose, handleSubmit, formDrawGeometryData, handleCha
439
440 og open={open} onOpenChange={onClose} onSubmit={handleSubmit}>
441 form>
442 <DialogContent className="sm:max-w-[425px]">
443 <DialogHeader>
444 <DialogTitle>Inserisci i dettagli del poligono</DialogTitle>
445 <DialogDescription>
446 Compila i campi e salva per associare i dati al poligono.
447 </DialogDescription>
448 </DialogHeader>
449 <div className="grid gap-7 py-4">
450 <div className="flex flex-col gap2">
451 <Label htmlFor="area_blu" className="textxl fontmedium textgray700">
452 <Popover open={openComboTipoGeometria} onOpenChange={setOpenComboTip
453 <PopoverTrigger asChild>
454 <Button
455 variant="outline"
456 role="combobox"
457 aria-expanded={openComboTipoGeometria}
458 className="w[500px] justifybetween"
459 >
460 {valueTipoGeometria
461 ? tipiInserimentoGeometria.find((tipo) => tipo.nome
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:18
2025-09-09 15:07:18.029 INFO 6924 --- [alina-utility-1] com.zaxxer.hikari.Hikar

Writable Insert 438 : 33 [19]



Scrivi qui il testo da cercare.



15:07

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_module
 - public
 - resources
 - src
 - assets
 - componer
 - Dialog[
 - Dialog[
 - Map.cs
 - MapCo
 - utils
 - apicalls
 - feature.
 - map.js
 - modals
 - Popupf
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.
 - eslint.config.j
 - index.html
 - jsconfig.json

modals.jsx

```
448 </DialogHeader>
449 <div className="grid gap-7 py-4">
450   <div className="flex flex-col gap2">
451     <Label htmlFor="tipo_poligono" className="textxl fontma
452     <Popover open={openComboTipoGeometria} onOpenChange={se
453       <PopoverTrigger asChild>
454         <Button
455           variant="outline"
456           role="combobox"
457           aria-expanded={openComboTipoGeometria}
458           className="w[500px] justifybetween"
459         >
460           {valueTipoGeometria
461             ? tipiInserimentoGeometria.find((tipo)
462               : "Seleziona tipo geometria..."}
463           <ChevronsUpDown className="opacity50" />
464         </Button>
465       </PopoverTrigger>
466       <PopoverContent className="w[500px] p0">
467         <Command>
468           <CommandInput placeholder="Cerca tipo..." />
469           <CommandList>
470             <CommandEmpty>Nessuna tipo poligono tro
471             <CommandGroup>
472               {tipiInserimentoGeometria.map((tipo)
473                 <CommandItem
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:18

2025-09-09 15:11:51.213 INFO 6924 --- [alina-utility-1] o.apache.catalina.core.

Writable Insert 475 : 73 : 18952



Scrivi qui il testo da cercare.



15:12

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/components/DialogDrawPolygonComponent.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

apicalls.js DialogDrawPolygonCo... modals.jsx IngressoController.java DialogDataComponent...

```
62
63   const [openDatePicker, setOpenDatePicker] = useState(true);
64
65   const [openComboTipoGeometria, setOpenComboTipoGeometria] = useState(false);
66   const [valueTipoGeometria, setValueTipoGeometria] = useState("");
67
68
69   const [openComboAreaBlu, setOpenComboAreaBlu] = useState(false);
70   const [openComboAreaVerde, setOpenComboAreaVerde] = useState(false);
71
72   const [valueAreaBlu, setValueAreaBlu] = useState("");
73   const [valueAreaVerde, setValueAreaVerde] = useState("");
74
75   const [areeBlu, setAreeBlu] = useState([]);
76   const [areeVerdi, setAreeVerdi] = useState([]);
77
78   useEffect(() => {
79
80     var featureData;
81
```

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 2:33:15) [pid: 6924]

```
2025-09-09 15:11:42.924 INFO 6924 --- [alina-utility-1] w.s.c.ServletWebServerApplicationContext
2025-09-09 15:11:43.770 INFO 6924 --- [alina-utility-1] o.hibernate.jpa.internal.util.LogHelper
2025-09-09 15:11:43.908 INFO 6924 --- [alina-utility-1] org.hibernate.Version
2025-09-09 15:11:44.203 INFO 6924 --- [alina-utility-1] o.h.spatial.integration.SpatialService
2025-09-09 15:11:44.274 INFO 6924 --- [alina-utility-1] o.hibernate.annotations.common.Version
2025-09-09 15:11:44.538 INFO 6924 --- [alina-utility-1] org.hibernate.dialect.Dialect
2025-09-09 15:11:45.843 INFO 6924 --- [alina-utility-1] com.zaxxer.hikari.HikariDataSource
2025-09-09 15:11:46.089 INFO 6924 --- [alina-utility-1] com.zaxxer.hikari.HikariDataSource
```

Writable Insert 64 : 1 : 1581

Scrive qui il testo da cercare.

15:25 09/09/2025

eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/controller/AreaBluController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataComp
 - DialogDrawPolyg
 - Map.css
 - MapComponent,
 - utils
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.js
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPol... modals.jsx DialogDataCo... AreaBluContr...

```
39 @GetMapping("/{id_area_blu}")
40 AreaBluDTO getById(@PathVariable Integer id_area_blu) {
41     return areaBluService.getAreaBluById(id_area_blu);
42 }
43
44 @PostMapping("/save")
45 HttpStatus saveRecord(@RequestBody AreaBluDTO areablu) {
46     areaBluService.saveAreaBlu(areablu);
47     return HttpStatus.CREATED;
48 }
49
50 @DeleteMapping("/delete/{id_area}")
51 HttpStatus deleteRecord(@PathVariable Integer id_area) {
52     areaBluService.deleteAreaBluById(id_area);
53     return HttpStatus.OK;
54 }
55
56 @PatchMapping("/update")
57 HttpStatus updateRecord(@RequestBody AreaBluDTO area) {
58     areaBluService.updateAreaBlu(area);
59 }
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 3:03)

.data.repository.core.support.RepositoryComposition\$RepositoryFragments.invoke (Re)
.data.repository.core.support.RepositoryComposition.invoke (RepositoryComposition.
.data.repository.core.support.RepositoryFactorySupport\$ImplementationMethodExecut
.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java
.data.repository.core.support.QueryExecutorMethodInterceptor.doInvoke (QueryExecut
.data.repository.core.support.QueryExecutorMethodInterceptor.invoke (QueryExecutor!
.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java
.data.projection.DefaultMethodInvokingMethodInterceptor.invoke (DefaultMethodInvok

Writable Smart Insert 46 : 15 : 1542



Scrivi qui il testo da cercare.



15:56

09/09/2025



Metodi x Cross-C x Getting x Combo x Progetti x GeoSer x OpenL x +

localhost:5173

star icon extension icon user icon

Map of Central Italy (Lazio, Abruzzo, Molise, Campania, Basilicata) with red markers. Includes zoom controls and a small GeoSer icon.

Console >> 14

top Filter

Default levels 14 Issues: 14 7 hidden

> |


Attiva Windows
Passa a Impostazioni per attivare Windows.

Console What's new x >>

Windows taskbar with search bar (Scrivi qui il testo da cercare.), taskbar icons (Edge, Chrome, File Explorer, etc.), and system tray (16:00, 09/09/2025).

Metodi x Cross-C x Getting x Combo x Proget x GeoSer x OpenL x +

localhost:5173



3.631,29 km²

Elements Sources >> 2

Page >> >>

```
25 isegnoPunto
26 ./utils/modals.jsx';
27
28
29 lAreeVerdi,
30 lAreeBlu
31 ./utils/apicalls.js';
32
33 DialogDrawPolygonComponent(
34
35 ipoGeometria = "";
36 ipo = null;
37
38 eature) {
39 ipo = feature.feature.value
40 f (tipo === "Polygon")
41 tipoGeometria = "Poligon
42 lse
43 tipoGeometria = "Punto";
44
45
46 izializzo la variabile per l
47 ipiInserimentoGeometria = [
48 id: "areablu", nome: "Area
49 id: "polareaverde", nome:
50
51
52 [formDrawGeometryData, set
```

Attiva Windows
4 characters selected (From DialogDraw
Passa a impostazioni per attivare

Scope Watch

Console What's new x >>

© OpenStreetMap contributors.

Scrive qui il testo da cercare.

16:00
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataComp
 - DialogDrawPolyg
 - Map.css
 - MapComponent,
 - utills
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.js
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPol... modals.jsx DialogDataCo... AreaBluContr...

```
464 </Button>
465 </PopoverTrigger>
466 <PopoverContent class!
467 <Command>
468   <CommandInput placeholder="Cerca tipo..." className="h9" />
469   <CommandList>
470     <CommandEmpty>Nessuna tipo poligono trovato.</CommandEmpty>
471     <CommandGroup>
472       (tipiInserimentoGeometria.map((tipo) => (
473         <CommandItem
474           key={tipo.id}
475           value={tipo.nome}
476           onSelect={currentValue => {
477             setValueTipoGeometria(currentValue === valueT
478             setOpenComboTipoGeometria(false)
479           }}
480         >
481           {tipo.nome}
482         <Check
483           className={cn(
```

tipo_ge

Replace (1 for history)

Name Valu

Console Problems Progress Debug Shell Search Servers Debug

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 3:09)

.data.repository.core.support.RepositoryComposition\$RepositoryFragments.invoke (Re)
.data.repository.core.support.RepositoryComposition.invoke (RepositoryComposition.
.data.repository.core.support.RepositoryFactorySupport\$ImplementationMethodExecut
.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java
.data.repository.core.support.QueryExecutorMethodInterceptor.doInvoke (QueryExecut
.data.repository.core.support.QueryExecutorMethodInterceptor.invoke (QueryExecut
.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java
.data.projection.DefaultMethodInvokingMethodInterceptor.invoke (DefaultMethodInvok

Writable Insert 452 : 144 [7]



Scrivi qui il testo da cercare.



16:02

09/09/2025




GoTo Meeting x Training On The Job x +

app.goto.com/meeting/398790149

GoTo Meeting | TestWeb | GeoServer | Hydros | Training On The Job | ginve.futurasistemi...


Tutti 6



Registraz...



Reagisci



Microfono



Fotocamera



Condividi



Strumenti



Abbandona



Sottotitoli



Apri nuo...



16:17
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataComp
 - DialogDrawPolyg
 - Map.css
 - MapComponent,
 - utills
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.js
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPol... modals.jsx DialogDataCo... AreaBluContr...

```
293<DialogDescription>
294  Compila i campi e salva per associare i dati al punto.
295</DialogDescription>
296</DialogHeader>
297<div className="grid gap7 py4">
298  <div className="flex flexcol gap2">
299    <Label htmlFor="id" className="textxl fontmedium textgray700">Id
300    <Input disabled id="id" name="id" value={formData.id || ''} />
301  </div>
302  <div className="flex flex-col gap2">
303    <Label htmlFor="nome" className="textxl fontmedium textgray700">I
304    <Input id="nome" name="nome" value={formData.nome || ''} onChange
305  </div>
306  <div className="flex flex-col gap2">
307    <Label htmlFor="area_blu" className="textxl fontmedium textgray7
308    <Popover open={openComboAreaBlu} onOpenChange={setOpenComboAreaB
309    <PopoverTrigger asChild>
310      <Button
311        variant="outline"
312        role="combobox"
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 12:52:38 elapsed: 3:26)

.data.repository.core.support.RepositoryComposition\$RepositoryFragments.invoke (Re)
.data.repository.core.support.RepositoryComposition.invoke (RepositoryComposition.
.data.repository.core.support.RepositoryFactorySupport\$ImplementationMethodExecut
.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java
.data.repository.core.support.QueryExecutorMethodInterceptor.doInvoke (QueryExecut
.data.repository.core.support.QueryExecutorMethodInterceptor.invoke (QueryExecutor!
.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java
.data.projection.DefaultMethodInvokingMethodInterceptor.invoke (DefaultMethodInvok

Writable Insert 300 : 71 : 12188



Scrivi qui il testo da cercare.



16:19

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataComp
 - DialogDrawPolyg
 - Map.css
 - MapComponent,
 - utills
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.js
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

apicalls.js DialogDrawPol... *modals.jsx X DialogDataCo... AreaBluContr...

```
479    })
480    >
481    {tipo.nome}
482    <Check
483      className={cn(
484        "mlauto",
485        valueTipoGeometria === tipo.id ? "op
486      )}
487    />
488    </CommandItem>
489  )}
490  </CommandGroup>
491  </CommandList>
492  </Command>
493  </PopoverContent>
494  </Popover>
495
496  iiv>
497
498  <div className="flex flex-col gap-2">
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 16:20:12 elapsed: 0:02)

Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, p
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, p
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, p
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, p
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, p
Hibernate: select poligonoar0_.id as id1_4_0_, poligonoar0_.area as area2_4_0_, p

Writable Insert 452 : 153 : 18064



Scrivi qui il testo da cercare.



16:22

09/09/2025



eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataComp
 - DialogDrawPolyg
 - Map.css
 - MapComponent,
 - utills
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.js

apicalls.js DialogDrawPol... modals.jsx DialogDataCo... AreaBluContr...

```
467<Command>
468  <CommandInput placeholder="Cerca tipo..." className="h9" /
469  <CommandList>
470    <CommandEmpty>Nessuna tipo poligono trovato.</CommandE
471  <CommandGroup>
472    {tipiInserimentoGeometria.map((tipo) => (
473      <CommandItem
474        key={tipo.id}
475        value={tipo.nome}
476        onSelect={() => {
477          setValueTipoGeometria(currentValue ---
478          setOpenComboTipoGeometria(false)
479        }}
480      >
481        {tipo.nome}
482        <Check
483          className={cn(
484            "mlauto",
485            valueTipoGeometria === tipo.id ? "
486          )}
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 16:20:12 elapsed: 0:05)

2025-09-09	16:24:04.817	INFO	7200	---	[alina-utility-2]	com.zaxxer.hikari.Hikari!
2025-09-09	16:24:05.132	INFO	7200	---	[alina-utility-2]	o.h.e.t.j.p.i.JtaPlatfor
2025-09-09	16:24:05.164	INFO	7200	---	[alina-utility-2]	j.LocalContainerEntityMa
2025-09-09	16:24:06.874	WARN	7200	---	[alina-utility-2]	JpaBaseConfiguration\$Jpa
2025-09-09	16:24:07.966	INFO	7200	---	[alina-utility-2]	o.s.b.a.w.s.WelcomePageH
2025-09-09	16:24:08.999	INFO	7200	---	[alina-utility-2]	com.progetto.VEBS.VebsAp
2025-09-09	16:24:09.011	INFO	7200	---	[alina-utility-2]	o.apache.catalina.core.S

Writable Insert 452 : 176 [23]



Scrivi qui il testo da cercare.



16:25

09/09/2025

Metodi x | M Cross-C x | Getting x | TOTJ

localhost:5173

+

-

0

+

© OpenStreetMap contributors.

GeoServer: Layer
localhost:8080

GeoServer

Nome	Descrizione	Formato	Formato	Formato
...	...	...	...	...

Memoria utilizzata: 41,4 MB

che definisce le chiamate a

per i nomi dei campi

tion getStringOfForm(str) {

fetch('http://localhost:8080')
method: 'GET'

10));

11 });

12

13 //API Rest per il salvataggio dati dei

14 export function handleFormDataDrawSubn

15 if (data.tipo_geometria === "Polig

16

17 return fetch('http://localhost

18 method: 'POST',

19 headers: { 'Content-Type':

20 body: JSON.stringify(data)

21 });

22

23 } else if (data.tipo_geometria ===

24

25 return fetch('http://localh

26 method: 'POST',

27 headers: { 'Content-Type':

28 body: JSON.stringify(data)

29 });

Line 15, Column 11 (From apicalls.js?t=17574254)

Attiva Windows
Passa a Impostazioni per attivare

Windows Scope Watch

Console AI assistance Search What's new x >> x

Scrive qui il testo da cercare.

16:29
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utls/feature.js - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataComp
 - DialogDrawPolyg
 - Map.css
 - MapComponent.
 - utils
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.js
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

DialogDrawPolygonComponent.jsx

```
44  
45 // Gestione delle interazioni con drawPolygon  
46 drawPolygon.on('drawstart', () => {  
47     selectPolygonPopup.setActive(false);  
48     selectPolygonDrawed.setActive(false);  
49 });  
50  
51 drawPolygon.on(['drawend', 'drawabort'], (f) => {  
52     selectPolygonPopup.setActive(true);  
53     drawPolygon.setActive(false);  
54     selectPolygonDrawed.setActive(true);  
55  
56     // Salva la feature nel tuo stato  
57     setSelectedFeature(f);  
58     setFormModalOpen(true);  
59 });  
60  
61 map.addInteraction(drawPolygon);  
62  
63 // Creazione di una toolbar
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 16:20:12 elapsed: 0:12)

```
Hibernate: select areaverde0_.id as idl_1_, areaverde0_.area as area2_1_, areaver  
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, p  
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, p  
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, p  
Hibernate: select poligonoar0_.id as idl_4_0_, poligonoar0_.area as area2_4_0_, p  
Hibernate: insert into ingresso (area_blu, data, geometria, nome, poligono_area_y  
Hibernate: select currval('ingresso_id_seq')
```

Passa a Impostazioni per attivare Windows.

Writable Insert 44:1 [437]




Scrivi qui il testo da cercare.



16:33
09/09/2025

Meti x | M Cros x | Gett x | Com x | Prog x | Geo x | Ope x | Drav x | +

localhost:5173



The map displays the Italian peninsula and surrounding regions, including France, Switzerland, Austria, Slovenia, Croatia, Bosnia and Herzegovina, Serbia, Kosovo, Albania, and Greece. Major cities like Rome, Milan, Bologna, and Naples are visible. The map is overlaid with a grid of latitude and longitude lines. A small inset map in the top right corner shows the location of the current view within the context of the entire world map.

Attiva Windows
Passa a Impostazioni di Windows

© OpenStreetMap contributors.

Scrivi qui il testo da cercare.

16:39
09/09/2025

Meti x | M Cros x | Gett x | Com x | Prog x | Geo x | Ope x | Drav x | +

localhost:5173

+ -

+ T

Disegna sezione vuota (dopo aver selezionato un poligono)

© OpenStreetMap contributors.

Artwa Windows
Passa le tue applicazioni per Android
Windows

16:40
09/09/2025

Scrivi qui il testo da cercare.

eclipse-workspace - VEBS/src/main/frontend/src/utls/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

Project Explorer

- frontend
 - components
 - ui
 - dist
 - hooks
 - lib
 - node_modules
 - public
 - resources
 - src
 - assets
 - components
 - DialogDataComp
 - DialogDrawPolyg
 - Map.css
 - MapComponent.
 - utils
 - apicalls.js
 - feature.js
 - map.js
 - modals.jsx
 - PopupFeature.js
 - App.css
 - App.jsx
 - index.css
 - main.jsx
 - components.json
 - eslint.config.js
 - index.html
 - jsconfig.json

modals.jsx

```
525 >
526     (date ? date.toLocaleDateString()
527     </Button>
528 </PopoverTrigger>
529 <PopoverContent className="w-auto overflow
530     <Calendar
531     mode="single"
532     selected={date}
533     captionLayout="dropdown"
534     onSelect={ (date) => {
535         setDate(date)
536         setOpenDatePicker(false)
537     }}
538 </>
539 </PopoverContent>
540 </Popover>
541 </div>
542 </div>
543 <DialogFooter>
544 <DialogClose asChild>
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 16:20:12 elapsed: 0:22)

2025-09-09	16:42:21.106	INFO	7200	---	[alina-utility-2]	com.zaxxer.hikari.Hikari
2025-09-09	16:42:21.278	INFO	7200	---	[alina-utility-2]	o.h.e.t.j.p.i.JtaPlatfor
2025-09-09	16:42:21.303	INFO	7200	---	[alina-utility-2]	j.LocalContainerEntityMa
2025-09-09	16:42:22.645	WARN	7200	---	[alina-utility-2]	JpaBaseConfiguration\$Jpa
2025-09-09	16:42:23.679	INFO	7200	---	[alina-utility-2]	o.s.b.a.w.s.WelcomePageH
2025-09-09	16:42:24.724	INFO	7200	---	[alina-utility-2]	com.progetto.VEBS.VebsAp
2025-09-09	16:42:24.737	INFO	7200	---	[alina-utility-2]	o.apache.catalina.core.S

Writable Insert 542 : 27 [907]



Scrivi qui il testo da cercare.




16:42

09/09/2025



Metod | Cross- | Getting | Combo | Pre | X | GeoSe | OpenL | Draw F | Shadcr | +

localhost:5173



Elements Console Sources >> 14

Page >> DialogDrawPolygonComponent.jsx X >>

```
116 console.error("Errore  
117 }  
118 }  
119  
120 fetchDataAree();  
121 }, [feature]);  
122  
123 const handleChange = e => {  
124   const { name, value } = e.target  
125   setFormDrawGeometryData(prev =  
126 );  
127  
128 const handleSubmit = async () => {  
129  
130   const payload = {  
131     ...formDrawGeometryData,  
132     data: date.toISOString().s  
133   };  
134  
135   onSubmit(payload);  
136   onClose();  
137 };  
138  
139 if (tipoGeometria === "Poligono")  
140   return (formDisegnoPoligono(open,  
141 else  
142   return (formDisegnoPunto(open,  
143     areeVerdi, valueAreaBlu, s  
144 }
```

Line 132, Column 19 (From DialogDrawPolygonComp

Attiva Windows
Passa a Impostazioni per attivare Windows

Scope Watch

Console AI assistance Search What's new X >> X

Scrive qui il testo da cercare.

16:50
09/09/2025

eclipse-workspace - VEBS/src/main/frontend/src/utills/modals.jsx - Eclipse IDE

File Edit Source Navigate Search Project Run Window Help

models.jsx

```
457     aria-expanded={openComboTipoGeometria}
458     className="w[500px] justifybetween"
459     value={formDrawGeometryData.tipo_geometria} onChange={handleChange}
460   >
461     {valueTipoGeometria
462       ? tipiInserimentoGeometria.find((tipo) => tipo.nome === valueTipoGeometria)
463       : "Seleziona tipo geometria..."}
464     <ChevransUpDown className="opacity50" />
465   </Button>
466 </PopoverTrigger>
467 <PopoverContent className="w[500px] p0">
468   <Command>
469     <CommandInput placeholder="Cerca tipo..." className="h9" />
470     <CommandList>
471       <CommandEmpty>Nessuna tipo poligono trovato.</CommandEmpty>
472       <CommandGroup>
473         {tipiInserimentoGeometria.map((tipo) => (
474           <CommandItem
475             key={tipo.id}
476             value={tipo.nome}
```

Console

Tomcat v9.0 Server at localhost [Apache Tomcat] C:\Program Files\Java\jdk-21\bin\javaw.exe (9 set 2025, 16:20:12 elapsed: 0:31:06) [pid: 7200]

```
2025-09-09 16:51:16.063 INFO 7200 --- [alina-utility-1] com.progetto.VEBS.VebsApplication
2025-09-09 16:51:16.076 INFO 7200 --- [alina-utility-1] o.apache.catalina.core.StandardContext
2025-09-09 16:51:16.441 INFO 7200 --- [io-8081-exec-34] o.a.c.c.C.[.[localhost].[/VEBS]
2025-09-09 16:51:16.441 INFO 7200 --- [io-8081-exec-34] o.s.web.servlet.DispatcherServlet
2025-09-09 16:51:16.442 INFO 7200 --- [io-8081-exec-34] o.s.web.servlet.DispatcherServlet
Hibernate: select areablu0_.id as idl_0_, areablu0_.data as data2_0_, areablu0_.geometria as geome
Hibernate: select areablu0_.id as idl_0_, areablu0_.data as data2_0_, areablu0_.geometria as geome
```

Writable Insert 459: 108: 18305



Scrivi qui il testo da cercare.



16:51

09/09/2025



eclipse-workspace - VEBS/src/main/java/com/progetto/VEBS/mapper/AreaBluMapper.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- Servers
- VEBS [boot]
 - Deployment Descriptor: VEBS
 - JAX-WS Web Services
 - Java Resources
 - src/main/java
 - com.progetto.VEBS
 - com.progetto.VEBS.configuration
 - com.progetto.VEBS.controller
 - com.progetto.VEBS.mapper
 - AreaBluMapper.java
 - AreaVerdeMapper.java
 - IncidenzaArboreaMapper.java
 - IngressoMapper.java
 - PoligonoAreaVerdeMapper.java
 - PoligonoPopolazioneMapper.java
 - com.progetto.VEBS.model.dto
 - AreaBluDTO.java
 - AreaVerdeDTO.java
 - IncidenzaArboreaDTO.java
 - IngressoDTO.java
 - PoligonoAreaVerdeDTO.java
 - PoligonoPopolazioneDTO.java
 - com.progetto.VEBS.model.entity
 - AreaBlu.java
 - AreaVerde.java
 - IncidenzaArborea.java
 - Ingresso.java
 - PoligonoAreaVerde.java
 - PoligonoPopolazione.java

AreaBlu.java AreaVerde.java AreaBluDTO.java *AreaBluMap...

```
33 }
34
35 AreaBlu areaBlu = new AreaBlu();
36
37 WKTReader reader = new WKTReader();
38 Geometry geom;
39 try {
40     geom = reader.read(dto.getGeometria());
41     areaBlu.setGeometria(geom);
42 } catch (ParseException e) {
43     // TODO Auto-generated catch block
44     e.printStackTrace();
45 }
46 areaBlu.setId(dto.getId());
47 areaBlu.setNome(dto.getNome());
48 areaBlu.setData(dto.getData());
49 areaBlu.setData(dto.getData());
50 return areaBlu;
51 }
52 }
```

Console Problems Progress Debug Shell Search Servers X Debug

Tomcat v9.0 Server at localhost [Stopped, Republish]

Attiva Windows
Passa a Impostazioni per attivare Windows.

Writable Smart Insert 49:40:1416



Scrivi qui il testo da cercare.



16:57

09/09/2025

GoTo Meeting Training On The Job

app.goto.com/meeting/398790149

GoTo Meeting | Ginve | GinveWeb | TestWeb | GeoServer | Hydros | Training On The Job | ginve.futurasistemi.i...

Tutti 4

Stai condividendo il tuo schermo

Francesco

AS

Aula Corsi Futura Sistemi

FP

Francesca Palomba

C

Costantino

Alza la mia mano

Registraz... Reagisci Microfono Fotocamera Condividi Strumenti Abbandona Sottotitoli Apri nuo...

Cerca

17:04 09/09/2025